

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

# Report on the National Audit of the Sexual Healthcare of People with HIV 2006

## Case Notes Audit

*National Audit Group of  
the British Association for Sexual Health and HIV*

Contents	Page
<a href="#">Summary</a>	<a href="#">2</a>
<a href="#">Goals &amp; Objectives</a>	<a href="#">2</a>
<a href="#">Standards &amp; Guidelines</a>	<a href="#">3</a>
<a href="#">Case definition</a>	<a href="#">3</a>
<a href="#">Audit interval</a>	<a href="#">3</a>
<a href="#">Sample</a>	<a href="#">3</a>
<a href="#">Number of cases &amp; audit interval</a>	<a href="#">4</a>
<a href="#">Audit Process</a>	<a href="#">4</a>
<a href="#">Data handling</a>	<a href="#">4</a>
<a href="#">Results - Case notes Audit</a>	<a href="#">5</a>
<a href="#">Database Reports</a>	<a href="#">12</a>

### Contact details:

Hugo McClean hugo.mcclean@hullpct.nhs.uk  
Chris Carne christopher.carne@addenbrookes.nhs.uk  
David Daniels david.daniels@ukonline.co.uk  
Date of final version 05 March 2007



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Summary**

This Audit provides data on outcomes that support the management of the sexual healthcare of people with HIV in the UK. The Audit is based on methodology and organisation developed by the National Audit Group of the British Association for Sexual Health & HIV. The data allows Regions to measure practice against specific performance indicators described in national standards and guidelines, as well allowing performance to be compared to that of other Regions and against National average performance. Data on individual clinic performance has already been presented to individual clinics. This Report is intended for use in clinic governance systems as a resource to aid decision-making to improve practice or maintain good practice.

**Goals & objectives**

The goal of the audit was to improve the management of the sexual healthcare of people with HIV in the UK.

The objectives were to provide data to allow comparison of practice measures against national standards and guidelines, and average UK performances and between :

- Trusts within Regions (Data presented to Regional Chairs only for dissemination to clinics within Regions)
- Regions (this Report)

**Standards & Guidelines**

The standards and guidelines used were:

- 2006 United Kingdom National Guideline on the Sexual Health of People with HIV: Sexually Transmitted Infections produced by the Clinical Effectiveness Group of the British Association of Sexual Health and HIV  
[http://www.bashh.org/guidelines/2006/sexual\\_health\\_hiv\\_0406.pdf](http://www.bashh.org/guidelines/2006/sexual_health_hiv_0406.pdf)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

- 2005 United Kingdom National Guideline on the Management of the Viral Hepatitides A, B & C  
[http://www.bashh.org/guidelines/2005/hepatitis\\_abc\\_final\\_0905.pdf](http://www.bashh.org/guidelines/2005/hepatitis_abc_final_0905.pdf)
- 2004 BHIVA Guidelines - HIV And Chronic Hepatitis: Co-Infection With HIV And Hepatitis B Virus Infection  
<http://www.bhiva.org/guidelines/2004/HBV/index.html>
- 2004 British HIV Association (BHIVA) guidelines for treatment and management of HIV and Hepatitis C coinfection  
<http://www.bhiva.org/guidelines/2004/HCV/index.html>
- NHS Cervical Screening Programme. Colposcopy And Programme Management. Guidelines for the NHS Cervical Screening Programme. NHSCSP Publication No 20. April 2004  
<http://www.cancerscreening.nhs.uk/cervical/publications/nhscsp20.pdf>

**Case definition**

A case was a person with HIV infection diagnosed on or before 31 December 2004 and seen within the audit interval.

**Audit interval**

Between 01/05/06 and 31/07/06 inclusive.

**Sample**

The first 30 cases within the audit interval, or all cases seen within audit interval, if less than 30.

**Audit process**

Planning for the Audit was conducted through the National Audit Group. This involved discussion of the audit process, which data were to be collected, agreement on the final version of audit questions and questionnaire. The audit questions were



BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
**(Case notes Audit)**

translated into an electronic form that was emailed to Regional Chairs in the form of a *Microsoft Access* database. The questionnaire was sent to clinics in Regions by the Regional Chairs, who arranged for the data in the questionnaires to be entered into the databases. The completed databases were returned by email to a central collection office and collated and analysed. Data were returned during September to December 2006.

**Data handling**

The Health Service (Control of Patient Information) Regulations 2002 <http://www.opsi.gov.uk/si/si2002/20021438.htm> came into force on the 1<sup>st</sup> June 2002.

The Patient Information Advisory Group does not require an application to be made if pseudonymised data is transferred between NHS organisations. The electronic form contained no personal identifiers. Clinics were asked to securely keep a separate record of case note numbers against the unique record identifier provided by the database, and available only to the source clinic. This record linkage was used to check the accuracy of data.

The following process was used to collect data:

- Pseudonymised data collected by clinics on paper datasheets and returned to Regional Chairs.
- Databases emailed to Regional Chairs
- Database populated by offices of Regional Chairs from clinic datasheets and returned by email to central office
- Collated data aggregated by Region
- Collated data aggregated by Trusts within Regions

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

**Conclusions & recommendations**

Good performance for hepatitis B testing, but wide regional variations in performance for other indicators. Interventions are needed to improve: hepatitis B vaccination; testing for hepatitis C, syphilis and STIs; aspects of sexual history, safe sex work, cervical cytology and contraception.

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

National average and regional ranges for questions in Case Notes Audit (N= 3210 unless otherwise stated)				
Question	Measure	National average (%)	Percentage Range	Hyperlink to Full Report
	<b>Number of cases</b>			<a href="#">See Full Report</a>
	Total number of cases	3210	1-21	
<b>1</b>	<b>Age groups - all cases</b>			<a href="#">See Full Report</a>
	<20	20 (0.6)	0-3	
	20-29	352 (11)	7-19	
	30-45	2013 (63)	50-72	
	>45	825 (26)	20-38	
<b>2</b>	<b>Gender - all cases</b>			<a href="#">See Full Report</a>
	Male	2020 (63)	51-80	
	Total female	1185 (37)	20-49	
	Female not pregnant	1119 (94)	83-100	
	Female pregnant	66 (6)	0-17	
	Not answered	5 (0.2)	0-3	
<b>3</b>	<b>Risk - all cases</b>			<a href="#">See Full Report</a>
	Men Who Have Sex With Men	1263 (39)	21-61	
	Hetero - high prevalence area	1234 (38)	17-58	
	Hetero	827 (26)	12-45	
	Intravenous drug user	84 (3)	0-11	
	Blood	28 (1)	0-2	
	Mother-to-Child	7 (0.2)	0-1	
	Other	34 (1)	0-4	
	Not known	56 (2)	0-8	
<b>4</b>	<b>Ethnicity - all cases</b>			<a href="#">See Full Report</a>
	White	1716 (53)	32-90	
	Black	1263 (39)	7-64	
	Asian/Asian British	81 (2)	0-4	
	Mixed	26 (1)	0-3	
	Chinese/Other	31 (1)	0-3	
	Not documented/Not answered	93 (3)	0-24	
<b>5</b>	<b>Weeks to current presentation - all cases</b>			<a href="#">See Full Report</a>
	Interval in weeks between date of initial positive HIV test and date of presentation within Audit interval	307 weeks (1 standard deviation 240 weeks)	70-1385	



BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

<b>6</b>	<b>Number of centres previously attended - all cases</b>			<a href="#">See Full Report</a>
	None	1862 (58)	42-80	
	One	804 (25)	15-38	
	Two	136 (4)	0-12	
	Three	20 (0.6)	0-3	
	More than Three	4 (0.1)	0-2	
	More than 1 (precise number not known)	181 (6)	0-13	
	Not known	168 (5)	0-17	
	Not answered	35 (1)	0-3	
<b>7.1</b>	<b>Sexual History documented - all cases</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	2202 (69)	45-84	
	Within 6 past months	1092(34)	12-53	
	Neither 4 weeks nor 6 months	566 (18)	3-44	
	Not answered	80 (2)	0-7	
<b>7.2</b>	<b>Sexual History documented - no previous management at another centre (n=1862)</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	1591 (85)	58-100	
	Within 6 past months	637(34)	10-68	
	Neither 4 weeks nor 6 months	156 (8)	0-37	
	Not answered	24 (1)	0-5	
<b>8.1</b>	<b>Offer of tests for STIs documented - all cases</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	1869 (58)	30-83	
	Within 6 past months	888 (28)	14-47	
	Neither 4 weeks nor 6 months	857 (27)	7-56	
	Not answered	89 (3)	0-8	
<b>8.2</b>	<b>Offer of tests for STIs documented - no previous management at another centre (n=1862)</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	1354 (73)	40-100	
	Within 6 past months	494 (26)	10-50	
	Neither 4 weeks nor 6 months	349 (19)	0-53	
	Not answered	24 (1)	0-7	
<b>9</b>	<b>Resident in a syphilis outbreak area - all cases</b>			<a href="#">See Full Report</a>
	Yes	981 (31)	0-100	
	No	2138 (67)	0-99	
	Not known	29 (1)	0-3	
	Not answered	62 (2)	0-6	
<b>10.1</b>	<b>Offer of testing for syphilis - all cases</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	2301 (72)	46-85	
	Up to 3 months ago	991 (31)	19-58	
	3-6 months ago	677 (21)	7-58	
	7-12 months ago	827 (26)	7-50	

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

	>12 months ago	1145 (36)	15-55	
	Not/not known if ever tested	185 (6)	0-11	
<b>10.2</b>	<b>Offer of testing for syphilis - no previous management at another centre (n=1862)</b>			<a href="#">See Full Report</a>
	Within 4 weeks (before or after) of initial HIV diagnosis	1628 (87)	60-100	
<b>10.3</b>	<b>Offer of testing for syphilis in previous year - all cases</b>			<a href="#">See Full Report</a>
	Tested for syphilis in previous year	1745 (54)	37-84	
<b>10.4</b>	<b>Offer of testing for syphilis - MSM only (n=1236)</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	874 (69)	54-94	
	Up to 3 months ago	538 (43)	12-70	
	3-6 months ago	347 (27)	4-56	
	7-12 months ago	441 (35)	6-59	
	>12 months ago	530 (42)	15-65	
	Not/not known if ever tested	54 (4)	0-9	
<b>10.5</b>	<b>Offer of testing for syphilis - all other risk groups except MSM (n=1947)</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	1427 (73)	41-87	
	Up to 3 months ago	453 (23)	11-50	
	3-6 months ago	330 (17)	8-59	
	7-12 months ago	386 (20)	8-39	
	>12 months ago	615 (32)	15-49	
	Not/not known if ever tested	131 (7)	0-15	
<b>10.6</b>	<b>Offer of testing for syphilis - cases in outbreak areas (n=981, 12 Regions)</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	728 (74)	0-90	
	Up to 3 months ago	442 (45)	14-100	
	3-6 months ago	351 (36)	0-97	
	7-12 months ago	356 (36)	0-100	
	>12 months ago	465 (47)	0-97	
	Not/not known if ever tested	34 (3)	0-50	
<b>10.7</b>	<b>Offer of testing for syphilis - cases not in outbreak areas (n=2138, 15 Regions)</b>			<a href="#">See Full Report</a>
	Within 4 weeks of initial HIV diagnosis	1505 (70)	47-85	
	Up to 3 months ago	533 (25)	7-62	
	3-6 months ago	314 (15)	7-33	
	7-12 months ago	454 (21)	13-37	
	>12 months ago	656(31)	15-56	
	Not/not known if ever tested	144 (7)	1-21	
<b>11</b>	<b>Hepatitis A risk factors - all cases</b>			<a href="#">See Full Report</a>
	Large city resident	842 (26)	0-60	
	Local outbreak	23 (1)	0-3	



BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

	Travel	810 (25)	0-44	
<b>12</b>	<b>Hepatitis A immunity tested - all cases</b>			<a href="#">See Full Report</a>
	Yes	1906(59)	0-91	
	No	915(28)	8-100	
	Not known	370 (11)	0-22	
	Not answered	19 (0.6)	0-4	
<b>13.1</b>	<b>Hepatitis A vaccination - all cases</b>			<a href="#">See Full Report</a>
	Yes	533 (17)	2-40	
	No	1048 (33)	16-93	
	Not appropriate	891 (28)	0-38	
	Not known	702 (22)	0-39	
	Not answered	36 (1)	0-4	
<b>13.2</b>	<b>Hepatitis A vaccination - denominator: total cases minus not appropriate cases (n=2319)</b>			<a href="#">See Full Report</a>
	Yes	533 (23)	2-64	
<b>13.3</b>	<b>Hepatitis A vaccination - denominator: cases resident in a local outbreak area minus Not Appropriate cases (n=9)</b>			<a href="#">See Full Report</a>
	Yes	2 (22)	0-29	
<b>13.4</b>	<b>Hepatitis A vaccination - denominator: cases resident in a large city minus Not Appropriate cases (n=513)</b>			<a href="#">See Full Report</a>
	Yes	158 (31)	0-100	
<b>13.5</b>	<b>Hepatitis A vaccination - denominator: cases travelling outside the UK minus Not Appropriate cases (n=548)</b>			<a href="#">See Full Report</a>
	Yes	158 (29)	0-100	
<b>13.6</b>	<b>Hepatitis A vaccination of intravenous drug users minus Not Appropriate cases (n=61)</b>			<a href="#">See Full Report</a>
	Yes	12 (20)	0-100	
<b>14</b>	<b>Hepatitis B testing - all cases</b>			<a href="#">See Full Report</a>
	Yes	3137 (98)	95-100	
	No	24 (0.8)	0-3	
	Not known	43 (1)	0-3	
	Not answered	6 (0.2)	0-3	
<b>15.1</b>	<b>Hepatitis B vaccination offer for non- immune and continuing risk - all cases</b>			<a href="#">See Full Report</a>
	Yes	1606 (50)	25-90	
	No	238 (7)	1-24	
	Not appropriate	1131 (35)	7-47	
	Not known	193 (6)	0-12	
	Not answered	42 (1)	0-6	

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

<b>15.2</b>	<b>Hepatitis B vaccination offer for non-immune and continuing risk - total cases minus not appropriate cases (n=2079)</b>			<a href="#">See Full Report</a>
	Yes	1606 (77)	47-96	
<b>16</b>	<b>Hepatitis C antibody testing - all cases</b>			<a href="#">See Full Report</a>
	Yes	2910 (91)	79-100	
	No	194 (6)	0-12	
	Not known	104 (3)	0-8	
	Not answered	2 (0.1)	0-1	
<b>17</b>	<b>Newly acquired STI diagnosis in past year or since informed of HIV positive status, whichever is shorter period) - all cases</b>			<a href="#">See Full Report</a>
	Syphilis	104 (3.2)	0-5.9	
	Chlamydia	61 (1.9)	0-6.2	
	Gonorrhoea	74 (2.3)	0-5.0	
	Genital herpes	109 (3.4)	0-6.8	
	Bacterial vaginosis	64 (5.4)	0-16.7	
	Hepatitis A (pos IgM)	5 (0.2)	0-0.8	
	Hepatitis B (pos Surface Ag)	20 (0.6)	0-3.4	
	Hepatitis C	24 (0.8)	0-2.4	
	Non-gonococcal urethritis (males)	59 (2.9)	0-12.7	
	LGV	10 (0.3)	0-0.8	
	Other	133 (4.1)	0-9.8	
	None	2389 (74.4)	43.7-93.3	
<b>18.1</b>	<b>Safe sex advice documented within 4 weeks of initial HIV diagnosis - all cases</b>			<a href="#">See Full Report</a>
	Yes	1628 (51)	18-83	
	No	500 (16)	0-37	
	Not known	988 (31)	17-46	
	Not answered	94 (3)	0-10	
<b>18.2</b>	<b>Safe sex advice documented within 4 weeks of initial HIV diagnosis - no previous management at another centre (n=1862)</b>			<a href="#">See Full Report</a>
	Yes	1154 (62)	22-100	
	No	368 (20)	0-50	
	Not known	281 (15)	0-36	
	Not answered	59 (3)	0-12	
<b>19.1</b>	<b>Recorded use of condoms - use by MSM for ano-receptive sex (n=1263)</b>			<a href="#">See Full Report</a>
	Always	340 (27)	12-55	
	Sometimes	214 (17)	8-41	
	Never	43 (3)	0-6	
	Not known	475 (38)	14-76	

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

	Not applicable	164 (13)	1-38	
	Not answered	27 (2)	0-12	
<b>19.2</b>	<b>Recorded use of condoms - use by MSM for ano-insertive sex (n=1263)</b>			<a href="#">See Full Report</a>
	Always	326 (26)	10-55	
	Sometimes	205 (16)	7-41	
	Never	43 (3)	0-6	
	Not known	475 (38)	14-73	
	Not applicable	185 (15)	3-38	
	Not answered	29 (2)	0-11	
<b>19.3</b>	<b>Recorded use of condoms - use by women for vaginal sex (n=1185)</b>			<a href="#">See Full Report</a>
	Always	469 (40)	25-74	
	Sometimes	153 (13)	0-33	
	Never	58 (5)	0-11	
	Not known	300 (25)	0-57	
	Not applicable	174 (15)	3-33	
	Not answered	32 (3)	0-13	
<b>19.4</b>	<b>Recorded use of condoms - use by men for vaginal sex (not MSM, n=1947)</b>			<a href="#">See Full Report</a>
	Always	746 (38)	18-74	
	Sometimes	239 (12)	0-38	
	Never	80 (4)	0-13	
	Not known	571 (29)	0-64	
	Not applicable	273 (14)	8-31	
	Not answered	38 (2)	0-9	
<b>20</b>	<b>Dental dam use for orogenital sex</b>			<a href="#">See Full Report</a>
	Yes	11 (0.3)	0-2	
	No	511 (16)	0-57	
	Not applicable	1040 (32)	13-63	
	Not known	1590 (49)	24-79	
	Not answered	58 (2)	0-5	
<b>21</b>	<b>Contraception - female cases only (n=1185)</b>			<a href="#">See Full Report</a>
	Oral contraceptive pill	46 (3.9)	0-14.3	
	IUCD/IUS	46 (3.9)	0-10.9	
	Depot	52 (4.4)	0-15.8	
	Implant	21 (1.8)	0-3.4	
	Female condom	4 (0.3)	0-2.6	
	Condom worn by male	469 (39.6)	25.4-63.2	
	None	174 (14.7)	0-21.6	
	Not appropriate	201 (17.0)	10.3-83.3	
	Not known	191 (16.1)	0-44.4	
	Not answered	38 (3.2)	0-10.4	

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

22.1	<b>Cervical cytology result documented in last 12 months (n=1185)</b>			<a href="#">See Full Report</a>
	Yes	800 (68)	24-89	
	No	255 (22)	2-50	
	Not applicable	89 (8)	0-48	
	Not known	26 (2)	0-7	
	Not answered	15 (1)	0-5	
22.2	<b>Cervical cytology result documented in last 12 months - denominator total cases minus not appropriate cases (n=1096)</b>			<a href="#">See Full Report</a>
	Yes	805 (73)	43-94	

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
**(Case notes Audit)**

**Database Reports**

**Number of cases: grouped by Region**

Ordered by number of cases  
(Case notes audit)

Region	Total cases (%)	
North Thames	665	<b>20.72</b>
South Thames	510	<b>15.89</b>
West Midlands	339	<b>10.56</b>
Trent	205	<b>6.39</b>
ID	204	<b>6.36</b>
North West	179	<b>5.58</b>
Yorkshire	172	<b>5.36</b>
Anglia	169	<b>5.26</b>
Merseyside	129	<b>4.02</b>
Oxford	123	<b>3.83</b>
South West	119	<b>3.71</b>
Wessex	119	<b>3.71</b>
Scotland	105	<b>3.27</b>
Wales	74	<b>2.31</b>
Northern	68	<b>2.12</b>
Northern Ireland	30	<b>0.93</b>
National total (%)	3210	<b>100.00</b>

[Return to Summary](#)

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

Age ranges: grouped by Region.  
Ordered by percentage cases aged >45.  
(Case notes audit: Q1)

Region	Total cases (%)	<20 (%)	20-29 (%)	30-45 (%)	>45 (%)
South West	119	01 <b>0.84</b>	09 <b>7.56</b>	64 <b>53.78</b>	45 <b>37.82</b>
Wessex	119	02 <b>1.68</b>	15 <b>12.61</b>	60 <b>50.42</b>	42 <b>35.29</b>
Anglia	169	00 <b>0.00</b>	11 <b>6.51</b>	100 <b>59.17</b>	58 <b>34.32</b>
Northern Ireland	30	00 <b>0.00</b>	04 <b>13.33</b>	16 <b>53.33</b>	10 <b>33.33</b>
Merseyside	129	01 <b>0.78</b>	14 <b>10.85</b>	72 <b>55.81</b>	42 <b>32.56</b>
Scotland	105	00 <b>0.00</b>	07 <b>6.67</b>	65 <b>61.90</b>	33 <b>31.43</b>
Wales	74	02 <b>2.70</b>	06 <b>8.11</b>	43 <b>58.11</b>	23 <b>31.08</b>
South Thames	510	05 <b>0.98</b>	62 <b>12.16</b>	309 <b>60.59</b>	134 <b>26.27</b>
North West	179	02 <b>1.12</b>	26 <b>14.53</b>	104 <b>58.10</b>	47 <b>26.26</b>
ID	204	02 <b>0.98</b>	20 <b>9.80</b>	129 <b>63.24</b>	53 <b>25.98</b>
Trent	205	01 <b>0.49</b>	33 <b>16.10</b>	124 <b>60.49</b>	47 <b>22.93</b>
Yorkshire	172	01 <b>0.58</b>	24 <b>13.95</b>	108 <b>62.79</b>	39 <b>22.67</b>
West Midlands	339	00 <b>0.00</b>	40 <b>11.80</b>	224 <b>66.08</b>	75 <b>22.12</b>
North Thames	665	02 <b>0.30</b>	59 <b>8.87</b>	465 <b>69.92</b>	139 <b>20.90</b>
Northern	68	00 <b>0.00</b>	13 <b>19.12</b>	41 <b>60.29</b>	14 <b>20.59</b>
Oxford	123	01 <b>0.81</b>	09 <b>7.32</b>	89 <b>72.36</b>	24 <b>19.51</b>
National total	3210	20 <b>0.62</b>	352 <b>10.97</b>	2013 <b>62.71</b>	825 <b>25.70</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Gender: grouped by Region.  
 Ordered by percentage cases male.  
 (Case notes audit: Q2)

Region	Total cases (%)	Male (%)	Total female (%)	Female - pregnant (%)	Female - not pregnant (%)	Not answered (%)
Northern Ireland	30	24 <b>80.00</b>	6 <b>20.00</b>	1 <b>16.67</b>	5 <b>83.33</b>	0 <b>0.00</b>
Merseyside	129	100 <b>77.52</b>	29 <b>22.48</b>	1 <b>3.45</b>	28 <b>96.55</b>	0 <b>0.00</b>
Scotland	105	80 <b>76.19</b>	25 <b>23.81</b>	1 <b>4.00</b>	24 <b>96.00</b>	0 <b>0.00</b>
Wales	74	56 <b>75.68</b>	18 <b>24.32</b>	0 <b>0.00</b>	18 <b>100.00</b>	0 <b>0.00</b>
North West	179	131 <b>73.18</b>	48 <b>26.82</b>	8 <b>16.67</b>	40 <b>83.33</b>	0 <b>0.00</b>
Anglia	169	123 <b>72.78</b>	46 <b>27.22</b>	2 <b>4.35</b>	44 <b>95.65</b>	0 <b>0.00</b>
South West	119	83 <b>69.75</b>	35 <b>29.41</b>	1 <b>2.86</b>	34 <b>97.14</b>	1 <b>0.84</b>
Northern ID	68	47 <b>69.12</b>	19 <b>27.94</b>	0 <b>0.00</b>	19 <b>100.00</b>	2 <b>2.94</b>
Wessex	119	80 <b>67.23</b>	39 <b>32.77</b>	5 <b>12.82</b>	34 <b>87.18</b>	0 <b>0.00</b>
West Midlands	339	213 <b>62.83</b>	125 <b>36.87</b>	5 <b>4.00</b>	120 <b>96.00</b>	1 <b>0.29</b>
South Thames	510	294 <b>57.65</b>	216 <b>42.35</b>	9 <b>4.17</b>	207 <b>95.83</b>	0 <b>0.00</b>
Yorkshire	172	98 <b>56.98</b>	74 <b>43.02</b>	3 <b>4.05</b>	71 <b>95.95</b>	0 <b>0.00</b>
North Thames	665	375 <b>56.39</b>	290 <b>43.61</b>	18 <b>6.21</b>	272 <b>93.79</b>	0 <b>0.00</b>
Trent	205	113 <b>55.12</b>	92 <b>44.88</b>	7 <b>7.61</b>	85 <b>92.39</b>	0 <b>0.00</b>
Oxford	123	63 <b>51.22</b>	60 <b>48.78</b>	2 <b>3.33</b>	58 <b>96.67</b>	0 <b>0.00</b>
National total and averages	3210	2020 <b>62.93</b>	1185 <b>36.92</b>	66 <b>5.57</b>	1119 <b>94.43</b>	5 <b>0.16</b>

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Risk factors for HIV infection.**

Ordered by percentage cases MSM.

(Case notes audit: Q3)

Region	Total cases	MSM (%)	Hetero High Prev (%)	Hetero (%)	IDU (%)	Blood (%)	MTC (%)	Other (%)	Not Known (%)
North West	179	110 <b>61.45</b>	49 <b>27.37</b>	50 <b>27.93</b>	1 <b>0.56</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>0.56</b>	1 <b>0.56</b>
Northern Ireland	30	17 <b>56.67</b>	7 <b>23.33</b>	6 <b>20.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Scotland	105	58 <b>55.24</b>	18 <b>17.14</b>	22 <b>20.95</b>	8 <b>7.62</b>	0 <b>0.00</b>	1 <b>0.95</b>	1 <b>0.95</b>	2 <b>1.90</b>
Northern	68	37 <b>54.41</b>	14 <b>20.59</b>	16 <b>23.53</b>	1 <b>1.47</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>1.47</b>	0 <b>0.00</b>
Merseyside	129	70 <b>54.26</b>	32 <b>24.81</b>	24 <b>18.60</b>	2 <b>1.55</b>	1 <b>0.78</b>	0 <b>0.00</b>	0 <b>0.00</b>	5 <b>3.88</b>
Wales	74	40 <b>54.05</b>	20 <b>27.03</b>	9 <b>12.16</b>	4 <b>5.41</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	4 <b>5.41</b>
Wessex	119	59 <b>49.58</b>	45 <b>37.82</b>	14 <b>11.76</b>	2 <b>1.68</b>	1 <b>0.84</b>	0 <b>0.00</b>	5 <b>4.20</b>	2 <b>1.68</b>
Anglia	169	73 <b>43.20</b>	40 <b>23.67</b>	42 <b>24.85</b>	19 <b>11.24</b>	3 <b>1.78</b>	0 <b>0.00</b>	6 <b>3.55</b>	4 <b>2.37</b>
South West	119	48 <b>40.34</b>	35 <b>29.41</b>	54 <b>45.38</b>	2 <b>1.68</b>	1 <b>0.84</b>	1 <b>0.84</b>	3 <b>2.52</b>	3 <b>2.52</b>
South Thames	510	187 <b>36.67</b>	195 <b>38.24</b>	158 <b>30.98</b>	8 <b>1.57</b>	4 <b>0.78</b>	0 <b>0.00</b>	1 <b>0.20</b>	5 <b>0.98</b>
ID	204	74 <b>36.27</b>	68 <b>33.33</b>	40 <b>19.61</b>	10 <b>4.90</b>	4 <b>1.96</b>	2 <b>0.98</b>	4 <b>1.96</b>	17 <b>8.33</b>
North Thames	665	238 <b>35.79</b>	301 <b>45.26</b>	187 <b>28.12</b>	9 <b>1.35</b>	2 <b>0.30</b>	1 <b>0.15</b>	8 <b>1.20</b>	4 <b>0.60</b>
West Midlands	339	121 <b>35.69</b>	140 <b>41.30</b>	101 <b>29.79</b>	5 <b>1.47</b>	4 <b>1.18</b>	0 <b>0.00</b>	3 <b>0.88</b>	7 <b>2.06</b>
Yorkshire	172	50 <b>29.07</b>	86 <b>50.00</b>	28 <b>16.28</b>	5 <b>2.91</b>	3 <b>1.74</b>	1 <b>0.58</b>	1 <b>0.58</b>	2 <b>1.16</b>
Trent	205	55 <b>26.83</b>	119 <b>58.05</b>	48 <b>23.41</b>	5 <b>2.44</b>	5 <b>2.44</b>	1 <b>0.49</b>	0 <b>0.00</b>	0 <b>0.00</b>
Oxford	123	26 <b>21.14</b>	65 <b>52.85</b>	28 <b>22.76</b>	3 <b>2.44</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
National total and averages	3210	1263 <b>39.35</b>	1234 <b>38.44</b>	827 <b>25.76</b>	84 <b>2.62</b>	28 <b>0.87</b>	7 <b>0.22</b>	34 <b>1.06</b>	56 <b>1.74</b>

[Return to Summary](#)





**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Ethnicity: grouped by Region**

Ordered by percentage cases White ethnicity  
 (Case notes audit: Q4).

Region	White(%)	Black(%)	Asian/Asian British (%)	Mixed (%)	Chinese/ Other (%)	Not documented (%)	Total cases (%)
Scotland	95 <b>90.48</b>	9 <b>8.57</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>0.95</b>	0 <b>0.00</b>	105 <b>100.00</b>
Northern Ireland	26 <b>86.67</b>	2 <b>6.67</b>	0 <b>0.00</b>	1 <b>3.33</b>	1 <b>3.33</b>	0 <b>0.00</b>	30 <b>100.00</b>
Wales	58 <b>78.38</b>	14 <b>18.92</b>	2 <b>2.70</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	74 <b>100.00</b>
Merseyside	96 <b>74.42</b>	14 <b>10.85</b>	2 <b>1.55</b>	1 <b>0.78</b>	1 <b>0.78</b>	15 <b>11.63</b>	129 <b>100.00</b>
North West	132 <b>73.74</b>	41 <b>22.91</b>	4 <b>2.23</b>	2 <b>1.12</b>	0 <b>0.00</b>	0 <b>0.00</b>	179 <b>100.00</b>
Northern	48 <b>70.59</b>	17 <b>25.00</b>	3 <b>4.41</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	68 <b>100.00</b>
Anglia	117 <b>69.23</b>	39 <b>23.08</b>	3 <b>1.78</b>	3 <b>1.78</b>	3 <b>1.78</b>	4 <b>2.37</b>	169 <b>100.00</b>
Wessex	79 <b>66.39</b>	29 <b>24.37</b>	5 <b>4.20</b>	4 <b>3.36</b>	2 <b>1.68</b>	0 <b>0.00</b>	119 <b>100.00</b>
South West	67 <b>56.30</b>	21 <b>17.65</b>	3 <b>2.52</b>	0 <b>0.00</b>	0 <b>0.00</b>	28 <b>23.53</b>	119 <b>100.00</b>
ID	102 <b>50.00</b>	75 <b>36.76</b>	8 <b>3.92</b>	2 <b>0.98</b>	0 <b>0.00</b>	17 <b>8.33</b>	204 <b>100.00</b>
South Thames	253 <b>49.61</b>	230 <b>45.10</b>	15 <b>2.94</b>	3 <b>0.59</b>	7 <b>1.37</b>	2 <b>0.39</b>	510 <b>100.00</b>
West Midlands	165 <b>48.67</b>	153 <b>45.13</b>	11 <b>3.24</b>	1 <b>0.29</b>	1 <b>0.29</b>	8 <b>2.36</b>	339 <b>100.00</b>
Yorkshire	81 <b>47.09</b>	77 <b>44.77</b>	5 <b>2.91</b>	2 <b>1.16</b>	3 <b>1.74</b>	4 <b>2.33</b>	172 <b>100.00</b>
Trent	96 <b>46.83</b>	97 <b>47.32</b>	4 <b>1.95</b>	0 <b>0.00</b>	0 <b>0.00</b>	8 <b>3.90</b>	205 <b>100.00</b>
North Thames	262 <b>39.40</b>	366 <b>55.04</b>	15 <b>2.26</b>	5 <b>0.75</b>	10 <b>1.50</b>	7 <b>1.05</b>	665 <b>100.00</b>
Oxford	39 <b>31.71</b>	79 <b>64.23</b>	1 <b>0.81</b>	2 <b>1.63</b>	2 <b>1.63</b>	0 <b>0.00</b>	123 <b>100.00</b>
National total and averages	1716 <b>53.46</b>	1263 <b>39.35</b>	81 <b>2.52</b>	26 <b>0.81</b>	31 <b>0.97</b>	93 <b>2.90</b>	3210 <b>100.00</b>

[Return to Summary](#)

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
(Case notes Audit)

**Weeks to current presentation from date of HIV diagnosis:  
grouped by Region.**

Ordered by average weeks to current presentation.  
(Case notes audit: Q5).

Region	Average (weeks)	Range (weeks)	Std dev (weeks)
Scotland	424	82-1385	310
Northern Ireland	394	94-911	219
Anglia	389	72-1166	287
Wessex	343	74-1122	253
South West	330	76-1123	230
Wales	325	74-1021	206
North Thames	320	72-1281	255
ID	316	70-1194	260
South Thames	301	73-1166	232
Merseyside	298	72-1045	216
North West	296	76-1110	228
West Midlands	278	75-1287	219
Trent	270	73-1192	200
Yorkshire	251	75-1122	203
Northern	237	73-808	181
Oxford	224	76-1048	184
National values	307	70-1385	240

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Number of centres previously attended: grouped by Region**  
 Ordered by percentage cases with no other centres previously attended.  
 (Case notes audit: Q6)

Region	Total cases	None (%)	One (%)	Two (%)	Three (%)	More than Three (%)	More than One* (%)	Not known (%)	Not answered (%)
Oxford	123	99 <b>80.49</b>	18 <b>14.63</b>	3 <b>2.44</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>0.81</b>	2 <b>1.63</b>	0 <b>0.00</b>
Northern Ireland	30	22 <b>73.33</b>	8 <b>26.67</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Merseyside	129	90 <b>69.77</b>	22 <b>17.05</b>	4 <b>3.10</b>	1 <b>0.78</b>	0 <b>0.00</b>	6 <b>4.65</b>	5 <b>3.88</b>	1 <b>0.78</b>
South Thames	510	330 <b>64.71</b>	126 <b>24.71</b>	19 <b>3.73</b>	4 <b>0.78</b>	1 <b>0.20</b>	12 <b>2.35</b>	18 <b>3.53</b>	0 <b>0.00</b>
Wessex	119	75 <b>63.03</b>	22 <b>18.49</b>	7 <b>5.88</b>	0 <b>0.00</b>	0 <b>0.00</b>	15 <b>12.61</b>	0 <b>0.00</b>	0 <b>0.00</b>
Yorkshire	172	106 <b>61.63</b>	43 <b>25.00</b>	7 <b>4.07</b>	2 <b>1.16</b>	0 <b>0.00</b>	13 <b>7.56</b>	0 <b>0.00</b>	1 <b>0.58</b>
North Thames	665	399 <b>60.00</b>	125 <b>18.80</b>	11 <b>1.65</b>	0 <b>0.00</b>	0 <b>0.00</b>	53 <b>7.97</b>	58 <b>8.72</b>	19 <b>2.86</b>
Northern	68	39 <b>57.35</b>	26 <b>38.24</b>	1 <b>1.47</b>	0 <b>0.00</b>	1 <b>1.47</b>	0 <b>0.00</b>	1 <b>1.47</b>	0 <b>0.00</b>
ID	204	111 <b>54.41</b>	41 <b>20.10</b>	11 <b>5.39</b>	1 <b>0.49</b>	0 <b>0.00</b>	5 <b>2.45</b>	34 <b>16.67</b>	1 <b>0.49</b>
North West	179	97 <b>54.19</b>	55 <b>30.73</b>	4 <b>2.23</b>	1 <b>0.56</b>	0 <b>0.00</b>	13 <b>7.26</b>	7 <b>3.91</b>	2 <b>1.12</b>
Trent	205	110 <b>53.66</b>	59 <b>28.78</b>	9 <b>4.39</b>	0 <b>0.00</b>	0 <b>0.00</b>	10 <b>4.88</b>	10 <b>4.88</b>	7 <b>3.41</b>
South West	119	63 <b>52.94</b>	35 <b>29.41</b>	5 <b>4.20</b>	1 <b>0.84</b>	0 <b>0.00</b>	9 <b>7.56</b>	6 <b>5.04</b>	0 <b>0.00</b>
Wales	74	37 <b>50.00</b>	21 <b>28.38</b>	9 <b>12.16</b>	1 <b>1.35</b>	0 <b>0.00</b>	6 <b>8.11</b>	0 <b>0.00</b>	0 <b>0.00</b>
West Midlands	339	167 <b>49.26</b>	106 <b>31.27</b>	20 <b>5.90</b>	5 <b>1.47</b>	0 <b>0.00</b>	20 <b>5.90</b>	20 <b>5.90</b>	1 <b>0.29</b>
Anglia	169	73 <b>43.20</b>	65 <b>38.46</b>	13 <b>7.69</b>	1 <b>0.59</b>	0 <b>0.00</b>	11 <b>6.51</b>	6 <b>3.55</b>	0 <b>0.00</b>
Scotland	105	44 <b>41.90</b>	32 <b>30.48</b>	13 <b>12.38</b>	3 <b>2.86</b>	2 <b>1.90</b>	7 <b>6.67</b>	1 <b>0.95</b>	3 <b>2.86</b>
National total and averages	3210	1862 <b>58.01</b>	804 <b>25.05</b>	136 <b>4.24</b>	20 <b>0.62</b>	4 <b>0.12</b>	181 <b>5.64</b>	168 <b>5.23</b>	35 <b>1.09</b>

\*P recise number not known

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Sexual history documented - all cases. Grouped by Region.  
 Ordered by percentage cases with sexual history documented within past 6 months .  
 (Case notes audit: Q7)

Region	Total cases (%)	Within 4 weeks* of initial HIV diagnosis (%)	Within past 6 months (%)	Neither (%)	Not answered(%)
South West	119	67 <b>56.30</b>	63 <b>52.94</b>	20 <b>16.81</b>	3 <b>2.52</b>
Anglia	169	113 <b>66.86</b>	83 <b>49.11</b>	20 <b>11.83</b>	3 <b>1.78</b>
Oxford	123	103 <b>83.74</b>	60 <b>48.78</b>	6 <b>4.88</b>	1 <b>0.81</b>
Northern Ireland	30	25 <b>83.33</b>	14 <b>46.67</b>	2 <b>6.67</b>	0 <b>0.00</b>
Wales	74	55 <b>74.32</b>	32 <b>43.24</b>	2 <b>2.70</b>	5 <b>6.76</b>
Northern	68	54 <b>79.41</b>	27 <b>39.71</b>	3 <b>4.41</b>	5 <b>7.35</b>
Merseyside	129	86 <b>66.67</b>	48 <b>37.21</b>	25 <b>19.38</b>	2 <b>1.55</b>
North West	179	132 <b>73.74</b>	66 <b>36.87</b>	21 <b>11.73</b>	4 <b>2.23</b>
Wessex	119	84 <b>70.59</b>	42 <b>35.29</b>	17 <b>14.29</b>	6 <b>5.04</b>
Scotland	105	59 <b>56.19</b>	36 <b>34.29</b>	24 <b>22.86</b>	4 <b>3.81</b>
North Thames	665	458 <b>68.87</b>	225 <b>33.83</b>	121 <b>18.20</b>	11 <b>1.65</b>
South Thames	510	367 <b>71.96</b>	172 <b>33.73</b>	94 <b>18.43</b>	1 <b>0.20</b>
Trent	205	158 <b>77.07</b>	68 <b>33.17</b>	24 <b>11.71</b>	6 <b>2.93</b>
Yorkshire	172	108 <b>62.79</b>	48 <b>27.91</b>	42 <b>24.42</b>	7 <b>4.07</b>
West Midlands	339	241 <b>71.09</b>	84 <b>24.78</b>	55 <b>16.22</b>	15 <b>4.42</b>
ID	204	92 <b>45.10</b>	24 <b>11.76</b>	90 <b>44.12</b>	7 <b>3.43</b>
National totals and averages	3210	2202 <b>68.60</b>	1092 <b>34.02</b>	566 <b>17.63</b>	80 <b>2.49</b>

Note: both the 4 weeks and 6 months intervals were possible responses

\*Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Sexual history documented for eligible\* cases, no previous management at another centre: grouped by Region.

Ordered by percentage cases with sexual history documented within 4 weeks of diagnosis of HIV infection.

(Case notes audit: Q7)

Region	Eligible cases* (%)	Within 4 weeks† of initial HIV diagnosis (%)	Within past 6 months (%)	Neither (%)	Not answered (%)
Northern Ireland	22	22 <b>100.00</b>	11 <b>50.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Wales	37	37 <b>100.00</b>	17 <b>45.95</b>	0 <b>0.00</b>	0 <b>0.00</b>
Scotland	44	43 <b>97.73</b>	14 <b>31.82</b>	1 <b>2.27</b>	0 <b>0.00</b>
Oxford	99	94 <b>94.95</b>	43 <b>43.43</b>	2 <b>2.02</b>	0 <b>0.00</b>
Northern	39	37 <b>94.87</b>	14 <b>35.90</b>	0 <b>0.00</b>	1 <b>2.56</b>
Trent	110	104 <b>94.55</b>	37 <b>33.64</b>	3 <b>2.73</b>	1 <b>0.91</b>
South Thames	330	306 <b>92.73</b>	115 <b>34.85</b>	16 <b>4.85</b>	0 <b>0.00</b>
Wessex	75	67 <b>89.33</b>	25 <b>33.33</b>	1 <b>1.33</b>	4 <b>5.33</b>
Anglia	73	65 <b>89.04</b>	35 <b>47.95</b>	4 <b>5.48</b>	0 <b>0.00</b>
North West	97	85 <b>87.63</b>	29 <b>29.90</b>	4 <b>4.12</b>	2 <b>2.06</b>
Merseyside	90	74 <b>82.22</b>	36 <b>40.00</b>	8 <b>8.89</b>	1 <b>1.11</b>
North Thames	399	325 <b>81.45</b>	139 <b>34.84</b>	38 <b>9.52</b>	4 <b>1.00</b>
West Midlands	167	136 <b>81.44</b>	41 <b>24.55</b>	20 <b>11.98</b>	5 <b>2.99</b>
Yorkshire	106	86 <b>81.13</b>	27 <b>25.47</b>	14 <b>13.21</b>	3 <b>2.83</b>
South West	63	46 <b>73.02</b>	43 <b>68.25</b>	4 <b>6.35</b>	0 <b>0.00</b>
ID	111	64 <b>57.66</b>	11 <b>9.91</b>	41 <b>36.94</b>	3 <b>2.70</b>
Total cases minus cases seen at another centre	1862	1591 <b>85.45</b>	637 <b>34.21</b>	156 <b>8.38</b>	24 <b>1.29</b>

Note: both the 4 weeks and 6 months intervals were possible responses

\*Total cases minus cases seen at another centre

†Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Tests for STIs documented - all cases. Grouped by Region.  
 Ordered by percentage cases with tests for STIs documented in past 6 months.  
 (Case notes audit: Q8)

Region	Total cases (%)	Within 4 weeks* of initial HIV diagnosis (%)	Within past 6 months (%)	Neither (%)	Not answered (%)
Anglia	169	84 <b>49.70</b>	79 <b>46.75</b>	35 <b>20.71</b>	2 <b>1.18</b>
Northern Ireland	30	25 <b>83.33</b>	14 <b>46.67</b>	2 <b>6.67</b>	0 <b>0</b>
South West	119	59 <b>49.58</b>	52 <b>43.70</b>	33 <b>27.73</b>	1 <b>0.84</b>
Scotland	105	48 <b>45.71</b>	38 <b>36.19</b>	31 <b>29.52</b>	2 <b>1.90</b>
Wales	74	50 <b>67.57</b>	26 <b>35.14</b>	6 <b>8.11</b>	6 <b>8.11</b>
Merseyside	129	81 <b>62.79</b>	42 <b>32.56</b>	29 <b>22.48</b>	2 <b>1.55</b>
North West	179	115 <b>64.25</b>	54 <b>30.17</b>	39 <b>21.79</b>	2 <b>1.12</b>
Trent	205	139 <b>67.80</b>	61 <b>29.76</b>	39 <b>19.02</b>	8 <b>3.90</b>
Yorkshire	172	105 <b>61.05</b>	51 <b>29.65</b>	39 <b>22.67</b>	8 <b>4.65</b>
South Thames	510	317 <b>62.16</b>	146 <b>28.63</b>	130 <b>25.49</b>	0 <b>0</b>
Northern	68	48 <b>70.59</b>	19 <b>27.94</b>	9 <b>13.24</b>	7 <b>0.29</b>
North Thames	665	399 <b>60.00</b>	174 <b>26.17</b>	189 <b>28.42</b>	14 <b>2.11</b>
Oxford	123	85 <b>69.11</b>	31 <b>25.20</b>	19 <b>15.45</b>	5 <b>4.07</b>
Wessex	119	66 <b>55.46</b>	24 <b>20.17</b>	34 <b>28.57</b>	7 <b>5.88</b>
West Midlands	339	186 <b>54.87</b>	49 <b>14.45</b>	109 <b>32.15</b>	20 <b>5.90</b>
ID	204	62 <b>30.39</b>	28 <b>13.73</b>	114 <b>55.88</b>	5 <b>2.45</b>
National totals and averages	3210	1869 <b>58.22</b>	888 <b>27.66</b>	857 <b>26.70</b>	89 <b>2.77</b>

Note: both the 4 weeks and 6 months intervals were possible responses

\*Before or after initial HIV diagnosis

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Tests for STIs documented for eligible\* cases, no previous management at another centre: grouped by Region.

Ordered by percentage cases with tests documented for STIs within 4 weeks of diagnosis of HIV infection.

(Case notes audit: Q8)

Region	Eligible* Cases (%)	Within 4 weeks† of initial HIV diagnosis (%)	Within past 6 months (%)	Neither (%)	Not answered (%)
Northern Ireland	22	22 <b>100.00</b>	11 <b>50.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Northern	39	36 <b>92.31</b>	13 <b>33.33</b>	2 <b>5.13</b>	0 <b>0.00</b>
Wales	37	34 <b>91.89</b>	14 <b>37.84</b>	1 <b>2.70</b>	0 <b>0.00</b>
South Thames	330	269 <b>81.52</b>	86 <b>26.06</b>	46 <b>13.94</b>	0 <b>0.00</b>
Trent	110	88 <b>80.00</b>	37 <b>33.64</b>	13 <b>11.82</b>	2 <b>1.82</b>
Oxford	99	77 <b>77.78</b>	25 <b>25.25</b>	10 <b>10.10</b>	2 <b>2.02</b>
Merseyside	90	68 <b>75.56</b>	33 <b>36.67</b>	12 <b>13.33</b>	0 <b>0.00</b>
Wessex	75	56 <b>74.67</b>	11 <b>14.67</b>	13 <b>17.33</b>	5 <b>6.67</b>
North West	97	72 <b>74.23</b>	25 <b>25.77</b>	14 <b>14.43</b>	2 <b>2.06</b>
Yorkshire	106	78 <b>73.58</b>	27 <b>25.47</b>	15 <b>14.15</b>	6 <b>5.66</b>
Scotland	44	32 <b>72.73</b>	14 <b>31.82</b>	9 <b>20.45</b>	0 <b>0.00</b>
North Thames	399	280 <b>70.18</b>	101 <b>25.31</b>	88 <b>22.06</b>	2 <b>0.50</b>
West Midlands	167	110 <b>65.87</b>	22 <b>13.17</b>	46 <b>27.54</b>	4 <b>2.40</b>
Anglia	73	48 <b>65.75</b>	34 <b>46.58</b>	9 <b>12.33</b>	0 <b>0.00</b>
South West	63	40 <b>63.49</b>	30 <b>47.62</b>	12 <b>19.05</b>	1 <b>1.59</b>
ID	111	44 <b>39.64</b>	11 <b>9.91</b>	59 <b>53.15</b>	0 <b>0.00</b>
Total cases minus cases seen at another centre	1862	1354 <b>72.72</b>	494 <b>26.53</b>	349 <b>18.74</b>	24 <b>1.29</b>

Note: both the 4 weeks and 6 months intervals were possible responses

\*Total cases minus cases seen at another centre

†Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Syphilis outbreak area\* - all cases. Grouped by Region.  
 Ordered by percentage cases resident in an outbreak area.  
 (Case notes audit: Q9)

Region	Total cases (%)	Yes (%)	No (%)	Don't know(%)	Not answered (%)
Northern Ireland	30	30 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
North West	179	150 <b>83.80</b>	27 <b>15.08</b>	0 <b>0.00</b>	2 <b>1.12</b>
North Thames	665	412 <b>61.95</b>	229 <b>34.44</b>	2 <b>0.30</b>	22 <b>3.31</b>
ID	204	115 <b>56.37</b>	82 <b>40.20</b>	7 <b>3.43</b>	0 <b>0.00</b>
Northern	68	29 <b>42.65</b>	39 <b>57.35</b>	0 <b>0.00</b>	0 <b>0.00</b>
South Thames	510	161 <b>31.57</b>	346 <b>67.84</b>	3 <b>0.59</b>	0 <b>0.00</b>
Wessex	119	30 <b>25.21</b>	86 <b>72.27</b>	0 <b>0.00</b>	3 <b>2.52</b>
Scotland	105	16 <b>15.24</b>	88 <b>83.81</b>	0 <b>0.00</b>	1 <b>0.95</b>
West Midlands	339	29 <b>8.55</b>	285 <b>84.07</b>	6 <b>1.77</b>	19 <b>5.60</b>
Wales	74	5 <b>6.76</b>	69 <b>93.24</b>	0 <b>0.00</b>	0 <b>0.00</b>
South West	119	2 <b>1.68</b>	116 <b>97.48</b>	1 <b>0.84</b>	0 <b>0.00</b>
Merseyside	129	2 <b>1.55</b>	124 <b>96.12</b>	2 <b>1.55</b>	1 <b>0.78</b>
Anglia	169	0 <b>0.00</b>	167 <b>98.82</b>	2 <b>1.18</b>	0 <b>0.00</b>
Oxford	123	0 <b>0.00</b>	121 <b>98.37</b>	2 <b>1.63</b>	0 <b>0.00</b>
Trent	205	0 <b>0.00</b>	198 <b>96.59</b>	3 <b>1.46</b>	4 <b>1.95</b>
Yorkshire	172	0 <b>0.00</b>	161 <b>93.60</b>	1 <b>0.58</b>	10 <b>5.81</b>
National totals and averages	3210	981 <b>30.56</b>	2138 <b>66.60</b>	29 <b>0.90</b>	62 <b>1.93</b>

\*Cases designated by clinician as resident in an outbreak area e.g. London, Brighton, Manchester

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Testing for syphilis - all cases. Grouped by Region**

Ordered by percentage cases tested in previous 3 months.

(Case notes audit: Q10).

Region		Within 4 weeks* of initial HIV diagnosis (%)	Up to 3 months ago (%)	3-6 months ago (%)	7-12 months ago (%)	More than 12 months ago (%)	Not known/Not answered/Not tested (%)	Total cases (%)
North West	151	<b>84.36</b>	103 <b>57.54</b>	103 <b>57.54</b>	73 <b>40.78</b>	68 <b>37.99</b>	2 <b>1.12</b>	179
Wales	58	<b>78.38</b>	37 <b>50.00</b>	18 <b>24.32</b>	22 <b>29.73</b>	26 <b>35.14</b>	1 <b>1.35</b>	74
Yorkshire	116	<b>67.44</b>	75 <b>43.60</b>	18 <b>10.47</b>	36 <b>20.93</b>	58 <b>33.72</b>	5 <b>2.91</b>	172
Northern	53	<b>77.94</b>	28 <b>41.18</b>	29 <b>42.65</b>	34 <b>50.00</b>	31 <b>45.59</b>	3 <b>4.41</b>	68
Scotland	63	<b>60.00</b>	43 <b>40.95</b>	22 <b>20.95</b>	37 <b>35.24</b>	38 <b>36.19</b>	6 <b>5.71</b>	105
Wessex	78	<b>65.55</b>	45 <b>37.82</b>	41 <b>34.45</b>	43 <b>36.13</b>	45 <b>37.82</b>	9 <b>7.56</b>	119
ID	129	<b>63.24</b>	71 <b>34.80</b>	43 <b>21.08</b>	41 <b>20.10</b>	51 <b>25.00</b>	23 <b>11.27</b>	204
Trent	157	<b>76.59</b>	65 <b>31.71</b>	36 <b>17.56</b>	47 <b>22.93</b>	55 <b>26.83</b>	8 <b>3.90</b>	205
Merseyside	97	<b>75.19</b>	39 <b>30.23</b>	40 <b>31.01</b>	41 <b>31.78</b>	45 <b>34.88</b>	5 <b>3.88</b>	129
Anglia	117	<b>69.23</b>	51 <b>30.18</b>	22 <b>13.02</b>	25 <b>14.79</b>	64 <b>37.87</b>	10 <b>5.92</b>	169
North Thames	478	<b>71.88</b>	197 <b>29.62</b>	145 <b>21.80</b>	184 <b>27.67</b>	267 <b>40.15</b>	25 <b>3.76</b>	665
West Midlands	239	<b>70.50</b>	88 <b>25.96</b>	67 <b>19.76</b>	90 <b>26.55</b>	115 <b>33.92</b>	38 <b>11.21</b>	339
Northern Ireland	25	<b>83.33</b>	6 <b>20.00</b>	6 <b>20.00</b>	2 <b>6.67</b>	13 <b>43.33</b>	0 <b>0.00</b>	30
Oxford	105	<b>85.37</b>	24 <b>19.51</b>	9 <b>7.32</b>	27 <b>21.95</b>	19 <b>15.45</b>	4 <b>3.25</b>	123
South West	55	<b>46.22</b>	23 <b>19.33</b>	17 <b>14.29</b>	44 <b>36.97</b>	66 <b>55.46</b>	13 <b>10.92</b>	119
South Thames	380	<b>74.51</b>	96 <b>18.82</b>	61 <b>11.96</b>	81 <b>15.88</b>	184 <b>36.08</b>	33 <b>6.47</b>	510
National totals and averages	2301	<b>71.68</b>	991 <b>30.87</b>	677 <b>21.09</b>	827 <b>25.76</b>	1145 <b>35.67</b>	185 <b>5.76</b>	3210

Note: more than one response was possible

\*Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Testing for syphilis, no previous management at another centre: grouped by Region**

Ordered by percentage cases tested within 4 weeks of HIV diagnosis.  
 (Case notes audit: Q10).

Region	Eligible* cases (%)	Within 4 weeks† of initial HIV diagnosis (%)	Up to 3 months ago (%)	3-6 months ago (%)	7-12 months ago (%)	More than 12 months ago (%)	Not known/not answered (%)
Northern Ireland	22	22 <b>100.00</b>	2 <b>9.09</b>	6 <b>27.27</b>	2 <b>9.09</b>	9 <b>40.91</b>	0 <b>0.00</b>
Wales	37	37 <b>100.00</b>	19 <b>51.35</b>	9 <b>24.32</b>	10 <b>27.03</b>	15 <b>40.54</b>	0 <b>0.00</b>
Oxford	99	95 <b>95.96</b>	20 <b>20.20</b>	7 <b>7.07</b>	22 <b>22.22</b>	10 <b>10.10</b>	2 <b>2.02</b>
Anglia	73	69 <b>94.52</b>	20 <b>27.40</b>	3 <b>4.11</b>	10 <b>13.70</b>	18 <b>24.66</b>	1 <b>1.37</b>
South Thames	330	305 <b>92.42</b>	57 <b>17.27</b>	46 <b>13.94</b>	45 <b>13.64</b>	115 <b>34.85</b>	8 <b>2.42</b>
Northern	39	36 <b>92.31</b>	15 <b>38.46</b>	16 <b>41.03</b>	20 <b>51.28</b>	17 <b>43.59</b>	0 <b>0.00</b>
Trent	110	101 <b>91.82</b>	37 <b>33.64</b>	17 <b>15.45</b>	29 <b>26.36</b>	30 <b>27.27</b>	0 <b>0.00</b>
Merseyside	90	82 <b>91.11</b>	25 <b>27.78</b>	23 <b>25.56</b>	26 <b>28.89</b>	33 <b>36.67</b>	1 <b>1.11</b>
North West	97	88 <b>90.72</b>	46 <b>47.42</b>	55 <b>56.70</b>	30 <b>30.93</b>	27 <b>27.84</b>	0 <b>0.00</b>
Wessex	75	67 <b>89.33</b>	27 <b>36.00</b>	25 <b>33.33</b>	27 <b>36.00</b>	28 <b>37.33</b>	1 <b>1.33</b>
North Thames	399	342 <b>85.71</b>	105 <b>26.32</b>	61 <b>15.29</b>	92 <b>23.06</b>	147 <b>36.84</b>	6 <b>1.50</b>
Yorkshire	106	88 <b>83.02</b>	41 <b>38.68</b>	12 <b>11.32</b>	21 <b>19.81</b>	26 <b>24.53</b>	2 <b>1.89</b>
Scotland	44	36 <b>81.82</b>	15 <b>34.09</b>	5 <b>11.36</b>	11 <b>25.00</b>	13 <b>29.55</b>	0 <b>0.00</b>
West Midlands	167	136 <b>81.44</b>	39 <b>23.35</b>	31 <b>18.56</b>	47 <b>28.14</b>	62 <b>37.13</b>	11 <b>6.59</b>
ID	111	86 <b>77.48</b>	32 <b>28.83</b>	16 <b>14.41</b>	21 <b>18.92</b>	23 <b>20.72</b>	9 <b>8.11</b>
South West	63	38 <b>60.32</b>	11 <b>17.46</b>	12 <b>19.05</b>	26 <b>41.27</b>	39 <b>61.90</b>	3 <b>4.76</b>
Total cases minus cases seen at another centre	1862	1628 <b>87.43</b>	511 <b>27.44</b>	344 <b>18.47</b>	439 <b>23.58</b>	612 <b>32.87</b>	44 <b>2.36</b>

Note: more than one response was possible

\*Total cases minus cases seen at another centre

†Before or after initial HIV diagnosis

[Return to Summary](#)

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
**(Case notes Audit)**

Tested for syphilis in last year, all cases: grouped by Region.  
Ordered by percentage tested.  
(Case notes audit: Q10)

Region	Total cases (%)	Tested for syphilis in last year (%)	
Northern	68	57	<b>83.82</b>
North West	179	150	<b>83.80</b>
Merseyside	129	89	<b>68.99</b>
Yorkshire	172	117	<b>68.02</b>
Scotland	105	66	<b>62.86</b>
ID	204	128	<b>62.75</b>
Wales	74	46	<b>62.16</b>
South West	119	73	<b>61.34</b>
Trent	205	125	<b>60.98</b>
Wessex	119	68	<b>57.14</b>
North Thames	665	341	<b>51.28</b>
Anglia	169	86	<b>50.89</b>
Northern Ireland	30	14	<b>46.67</b>
South Thames	510	208	<b>40.78</b>
Oxford	123	50	<b>40.65</b>
West Midlands	339	127	<b>37.46</b>
National total and averages	3210	1745	<b>54.36</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Testing for syphilis, MSM only: grouped by Region**

Ordered by percentage cases tested in last 3 months.

(Case notes audit: Q10).

Region	Total MSM (%)	Within 4 weeks* of initial HIV diagnosis (%)	Up to 3 months ago (%)	3-6 months ago (%)	7-12 months ago (%)	More than 12 months ago (%)	Not known/not answered (%)
North West	110	91 <b>82.73</b>	77 <b>70.00</b>	62 <b>56.36</b>	51 <b>46.36</b>	48 <b>43.64</b>	2 <b>1.82</b>
Yorkshire	50	27 <b>54.00</b>	30 <b>60.00</b>	3 <b>6.00</b>	17 <b>34.00</b>	19 <b>38.00</b>	0 <b>0.00</b>
Scotland	58	35 <b>60.34</b>	33 <b>56.90</b>	15 <b>25.86</b>	23 <b>39.66</b>	19 <b>32.76</b>	1 <b>1.72</b>
Wales	40	29 <b>72.50</b>	20 <b>50.00</b>	11 <b>27.50</b>	12 <b>30.00</b>	13 <b>32.50</b>	1 <b>2.50</b>
North Thames	238	141 <b>59.24</b>	115 <b>48.32</b>	88 <b>36.97</b>	105 <b>44.12</b>	124 <b>52.10</b>	12 <b>5.04</b>
Wessex	59	37 <b>62.71</b>	28 <b>47.46</b>	25 <b>42.37</b>	32 <b>54.24</b>	30 <b>50.85</b>	3 <b>5.08</b>
ID	74	58 <b>78.38</b>	32 <b>43.24</b>	14 <b>18.92</b>	18 <b>24.32</b>	14 <b>18.92</b>	3 <b>4.05</b>
Northern	37	31 <b>83.78</b>	16 <b>43.24</b>	17 <b>45.95</b>	22 <b>59.46</b>	17 <b>45.95</b>	2 <b>5.41</b>
Merseyside	70	52 <b>74.29</b>	30 <b>42.86</b>	20 <b>28.57</b>	24 <b>34.29</b>	27 <b>38.57</b>	1 <b>1.43</b>
Trent	55	44 <b>80.00</b>	22 <b>40.00</b>	11 <b>20.00</b>	14 <b>25.45</b>	19 <b>34.55</b>	2 <b>3.64</b>
West Midlands	121	84 <b>69.42</b>	40 <b>33.06</b>	31 <b>25.62</b>	40 <b>33.06</b>	52 <b>42.98</b>	11 <b>9.09</b>
South West	48	26 <b>54.17</b>	15 <b>31.25</b>	9 <b>18.75</b>	23 <b>47.92</b>	31 <b>64.58</b>	2 <b>4.17</b>
Anglia	73	51 <b>69.86</b>	22 <b>30.14</b>	11 <b>15.07</b>	12 <b>16.44</b>	32 <b>43.84</b>	3 <b>4.11</b>
South Thames	187	131 <b>70.05</b>	52 <b>27.81</b>	27 <b>14.44</b>	41 <b>21.93</b>	70 <b>37.43</b>	11 <b>5.88</b>
Northern Ireland	17	16 <b>94.12</b>	3 <b>17.65</b>	2 <b>11.76</b>	1 <b>5.88</b>	11 <b>64.71</b>	0 <b>0.00</b>
Oxford	26	21 <b>80.77</b>	3 <b>11.54</b>	1 <b>3.85</b>	6 <b>23.08</b>	4 <b>15.38</b>	0 <b>0.00</b>
National totals and averages for MSM	1263	874 <b>69.20</b>	538 <b>42.60</b>	347 <b>27.47</b>	441 <b>34.92</b>	530 <b>41.96</b>	54 <b>4.28</b>

Note: more than one response was possible

\*Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Testing for syphilis, all risk groups except MSM : grouped by Region.**

Ordered by percentage cases tested in last 3 months.

(Case notes audit: Q10).

Region	Eligible* cases (%)	Within 4 weeks† of initial HIV diagnosis (%)	Up to 3 months ago (%)	3-6 months ago (%)	7-12 months ago (%)	More than 12 months ago (%)	Not known/not answered (%)						
Wales	34	29	<b>85.29</b>	17	<b>50.00</b>	7	<b>20.59</b>	10	<b>29.41</b>	13	<b>38.24</b>	0	<b>0.00</b>
Northern	31	22	<b>70.97</b>	12	<b>38.71</b>	12	<b>38.71</b>	12	<b>38.71</b>	14	<b>45.16</b>	1	<b>3.23</b>
North West	69	60	<b>86.96</b>	26	<b>37.68</b>	41	<b>59.42</b>	22	<b>31.88</b>	20	<b>28.99</b>	0	<b>0.00</b>
Yorkshire	122	89	<b>72.95</b>	45	<b>36.89</b>	15	<b>12.30</b>	19	<b>15.57</b>	39	<b>31.97</b>	5	<b>4.10</b>
Anglia	96	66	<b>68.75</b>	29	<b>30.21</b>	11	<b>11.46</b>	13	<b>13.54</b>	32	<b>33.33</b>	7	<b>7.29</b>
ID	130	71	<b>54.62</b>	39	<b>30.00</b>	29	<b>22.31</b>	23	<b>17.69</b>	37	<b>28.46</b>	20	<b>15.38</b>
Trent	150	113	<b>75.33</b>	43	<b>28.67</b>	25	<b>16.67</b>	33	<b>22.00</b>	36	<b>24.00</b>	6	<b>4.00</b>
Wessex	60	41	<b>68.33</b>	17	<b>28.33</b>	16	<b>26.67</b>	11	<b>18.33</b>	15	<b>25.00</b>	6	<b>10.00</b>
Northern Ireland	13	9	<b>69.23</b>	3	<b>23.08</b>	4	<b>30.77</b>	1	<b>7.69</b>	2	<b>15.38</b>	0	<b>0.00</b>
West Midlands	218	155	<b>71.10</b>	48	<b>22.02</b>	36	<b>16.51</b>	50	<b>22.94</b>	63	<b>28.90</b>	27	<b>12.39</b>
Oxford	97	84	<b>86.60</b>	21	<b>21.65</b>	8	<b>8.25</b>	21	<b>21.65</b>	15	<b>15.46</b>	4	<b>4.12</b>
Scotland	47	28	<b>59.57</b>	10	<b>21.28</b>	7	<b>14.89</b>	14	<b>29.79</b>	19	<b>40.43</b>	5	<b>10.64</b>
North Thames	427	337	<b>78.92</b>	82	<b>19.20</b>	57	<b>13.35</b>	79	<b>18.50</b>	143	<b>33.49</b>	13	<b>3.04</b>
Merseyside	59	45	<b>76.27</b>	9	<b>15.25</b>	20	<b>33.90</b>	17	<b>28.81</b>	18	<b>30.51</b>	4	<b>6.78</b>
South Thames	323	249	<b>77.09</b>	44	<b>13.62</b>	34	<b>10.53</b>	40	<b>12.38</b>	114	<b>35.29</b>	22	<b>6.81</b>
South West	71	29	<b>40.85</b>	8	<b>11.27</b>	8	<b>11.27</b>	21	<b>29.58</b>	35	<b>49.30</b>	11	<b>15.49</b>
National totals and averages (eligible cases)	1947	1427	<b>73.29</b>	453	<b>23.27</b>	330	<b>16.95</b>	386	<b>19.83</b>	615	<b>31.59</b>	131	<b>6.73</b>

Note: more than one response was possible

\*Cases not designated MSM risk

†Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Testing for syphilis, resident in an outbreak area:  
grouped by Region.**

Ordered by percentage cases tested in previous 3 months.

(Case notes audit: Q10).

Region	Eligible* cases (%)	Within 4 weekst† of initial HIV diagnosis (%)	Up to 3 months ago (%)	3-6 months ago (%)	7-12 months ago (%)	More than 12 months ago (%)	Not known/not answered (%)						
Merseyside	2	0	<b>0.00</b>	2	<b>100.00</b>	1	<b>50.00</b>	1	<b>50.00</b>	0	<b>0.00</b>	0	<b>0</b>
Wessex	30	16	<b>53.33</b>	30	<b>100.00</b>	29	<b>96.67</b>	30	<b>100.00</b>	29	<b>96.67</b>	0	<b>0</b>
Scotland	16	13	<b>81.25</b>	14	<b>87.50</b>	14	<b>87.50</b>	15	<b>93.75</b>	12	<b>75.00</b>	0	<b>0</b>
West Midlands	29	22	<b>75.86</b>	25	<b>86.21</b>	23	<b>79.31</b>	21	<b>72.41</b>	26	<b>89.66</b>	0	<b>0</b>
North West	150	133	<b>88.67</b>	90	<b>60.00</b>	92	<b>61.33</b>	68	<b>45.33</b>	61	<b>40.67</b>	1	<b>0.67</b>
Wales	5	4	<b>80.00</b>	3	<b>60.00</b>	3	<b>60.00</b>	3	<b>60.00</b>	3	<b>60.00</b>	0	<b>0</b>
South West	2	0	<b>0.00</b>	1	<b>50.00</b>	0	<b>0.00</b>	0	<b>0.00</b>	0	<b>0.00</b>	1	<b>50</b>
ID	115	90	<b>78.26</b>	53	<b>46.09</b>	33	<b>28.70</b>	30	<b>26.09</b>	21	<b>18.26</b>	5	<b>4.35</b>
North Thames	412	273	<b>66.26</b>	179	<b>43.45</b>	112	<b>27.18</b>	144	<b>34.95</b>	211	<b>51.21</b>	18	<b>4.37</b>
South Thames	161	126	<b>78.26</b>	35	<b>21.74</b>	22	<b>13.66</b>	19	<b>11.80</b>	73	<b>45.34</b>	9	<b>5.59</b>
Northern Ireland	30	25	<b>83.33</b>	6	<b>20.00</b>	6	<b>20.00</b>	2	<b>6.67</b>	13	<b>43.33</b>	0	<b>0</b>
Northern	29	26	<b>89.66</b>	4	<b>13.79</b>	16	<b>55.17</b>	23	<b>79.31</b>	16	<b>55.17</b>	0	<b>0</b>
Anglia	0											0	<b>NA</b>
Oxford	0											0	<b>NA</b>
Trent	0											0	<b>NA</b>
Yorkshire	0											0	<b>NA</b>
National totals and averages (eligible cases)	981	728	<b>74.21</b>	442	<b>45.06</b>	351	<b>35.78</b>	356	<b>36.29</b>	465	<b>47.40</b>	34	<b>3.47</b>

Note: more than one response was possible

\*Cases designated by clinician as resident in an outbreak area e.g. London, Brighton, Manchester

†Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Testing for syphilis, not resident in an outbreak area: grouped by Region**

Ordered by percentage cases tested in previous 3 months.

(Case notes audit: Q10).

Region	Eligible* cases (%)	Within 4 weeks† of initial HIV diagnosis (%)	Up to 3 months ago (%)	3-6 months ago (%)	7-12 months ago (%)	More than 12 months ago (%)	Not known/Not answered/Not tested (%)
Northern	39	27 <b>69.23</b>	24 <b>61.54</b>	13 <b>33.33</b>	11 <b>28.21</b>	15 <b>38.46</b>	3 <b>7.69</b>
Wales	69	54 <b>78.26</b>	34 <b>49.28</b>	15 <b>21.74</b>	19 <b>27.54</b>	23 <b>33.33</b>	1 <b>1.45</b>
Yorkshire	161	109 <b>67.70</b>	73 <b>45.34</b>	17 <b>10.56</b>	32 <b>19.88</b>	54 <b>33.54</b>	4 <b>2.48</b>
North West	27	17 <b>62.96</b>	12 <b>44.44</b>	9 <b>33.33</b>	4 <b>14.81</b>	6 <b>22.22</b>	1 <b>3.7</b>
Trent	198	150 <b>75.76</b>	64 <b>32.32</b>	34 <b>17.17</b>	45 <b>22.73</b>	53 <b>26.77</b>	8 <b>4.04</b>
Scotland	88	49 <b>55.68</b>	28 <b>31.82</b>	7 <b>7.95</b>	21 <b>23.86</b>	25 <b>28.41</b>	6 <b>6.82</b>
Anglia	167	116 <b>69.46</b>	51 <b>30.54</b>	22 <b>13.17</b>	25 <b>14.97</b>	64 <b>38.32</b>	9 <b>5.39</b>
Merseyside	124	96 <b>77.42</b>	36 <b>29.03</b>	39 <b>31.45</b>	38 <b>30.65</b>	45 <b>36.29</b>	5 <b>4.03</b>
ID	82	39 <b>47.56</b>	18 <b>21.95</b>	10 <b>12.20</b>	11 <b>13.41</b>	24 <b>29.27</b>	17 <b>20.73</b>
West Midlands	285	197 <b>69.12</b>	60 <b>21.05</b>	42 <b>14.74</b>	66 <b>23.16</b>	85 <b>29.82</b>	35 <b>12.28</b>
Oxford	121	103 <b>85.12</b>	23 <b>19.01</b>	8 <b>6.61</b>	27 <b>22.31</b>	18 <b>14.88</b>	4 <b>3.31</b>
South West	116	55 <b>47.41</b>	22 <b>18.97</b>	17 <b>14.66</b>	43 <b>37.07</b>	65 <b>56.03</b>	12 <b>10.34</b>
Wessex	86	59 <b>68.60</b>	15 <b>17.44</b>	12 <b>13.95</b>	12 <b>13.95</b>	15 <b>17.44</b>	9 <b>10.47</b>
South Thames	346	252 <b>72.83</b>	58 <b>16.76</b>	39 <b>11.27</b>	61 <b>17.63</b>	111 <b>32.08</b>	24 <b>6.94</b>
North Thames	229	182 <b>79.48</b>	15 <b>6.55</b>	29 <b>12.66</b>	39 <b>17.03</b>	53 <b>23.14</b>	6 <b>2.62</b>
Northern Ireland	0						0 <b>NA</b>
National totals and averages (eligible cases)	2138	1505 <b>70.39</b>	533 <b>24.93</b>	313 <b>14.64</b>	454 <b>21.23</b>	656 <b>30.68</b>	144 <b>6.74</b>

Note: more than one response was possible

\*Cases designated by clinician as not resident in outbreak area e.g. London, Brighton, Manchester

†Before or after initial HIV diagnosis

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Risk factors for hepatitis A: grouped by Region.  
 Ordered by percentage cases resident in a large city\*.  
 (Case notes audit: Q11)

Region	Total cases (%)	Resident large city (%)	Local outbreak (%)	Travel (%)
North Thames	665	402 <b>60.45</b>	21 <b>3.16</b>	218 <b>32.78</b>
ID	204	87 <b>42.65</b>	1 <b>0.49</b>	46 <b>22.55</b>
North West	179	70 <b>39.11</b>	0 <b>0.00</b>	20 <b>11.17</b>
South Thames	510	146 <b>28.63</b>	0 <b>0.00</b>	117 <b>22.94</b>
Merseyside	129	30 <b>23.26</b>	0 <b>0.00</b>	55 <b>42.64</b>
West Midlands	339	67 <b>19.76</b>	1 <b>0.29</b>	66 <b>19.47</b>
Yorkshire	172	30 <b>17.44</b>	0 <b>0.00</b>	30 <b>17.44</b>
Northern	68	2 <b>2.94</b>	0 <b>0.00</b>	11 <b>16.18</b>
Scotland	105	3 <b>2.86</b>	0 <b>0.00</b>	24 <b>22.86</b>
Wales	74	2 <b>2.70</b>	0 <b>0.00</b>	22 <b>29.73</b>
South West	119	1 <b>0.84</b>	0 <b>0.00</b>	48 <b>40.34</b>
Anglia	169	1 <b>0.59</b>	0 <b>0.00</b>	74 <b>43.79</b>
Trent	205	1 <b>0.49</b>	0 <b>0.00</b>	60 <b>29.27</b>
Northern Ireland	30	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Oxford	123	0 <b>0.00</b>	0 <b>0.00</b>	15 <b>12.20</b>
Wessex	119	0 <b>0.00</b>	0 <b>0.00</b>	4 <b>3.36</b>
National totals and averages	3210	842 <b>26.23</b>	23 <b>0.72</b>	810 <b>25.23</b>

\*Large city defined as population above 1 million

[Return to Summary](#)





**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis immunity A testing - all cases. Grouped by Region.  
 Ordered by percentage cases tested for hepatitis A.  
 (Case notes audit: Q12)

Region	Total cases (%)	Yes (%)	No (%)	Don't know (%)	Not answered (%)
North West	179	163 <b>91.06</b>	14 <b>7.82</b>	2 <b>1.12</b>	0 <b>0.00</b>
Wales	74	55 <b>74.32</b>	13 <b>17.57</b>	6 <b>8.11</b>	0 <b>0.00</b>
Merseyside	129	93 <b>72.09</b>	25 <b>19.38</b>	11 <b>8.53</b>	0 <b>0.00</b>
ID	204	143 <b>70.10</b>	16 <b>7.84</b>	45 <b>22.06</b>	0 <b>0.00</b>
South Thames	510	350 <b>68.63</b>	81 <b>15.88</b>	79 <b>15.49</b>	0 <b>0.00</b>
North Thames	665	445 <b>66.92</b>	182 <b>27.37</b>	37 <b>5.56</b>	1 <b>0.15</b>
Northern	68	44 <b>64.71</b>	18 <b>26.47</b>	4 <b>5.88</b>	2 <b>2.94</b>
Yorkshire	172	108 <b>62.79</b>	48 <b>27.91</b>	15 <b>8.72</b>	1 <b>0.58</b>
Anglia	169	87 <b>51.48</b>	57 <b>33.73</b>	25 <b>14.79</b>	0 <b>0.00</b>
South West	119	61 <b>51.26</b>	37 <b>31.09</b>	19 <b>15.97</b>	2 <b>1.68</b>
Scotland	105	53 <b>50.48</b>	34 <b>32.38</b>	14 <b>13.33</b>	4 <b>3.81</b>
Oxford	123	56 <b>45.53</b>	43 <b>34.96</b>	23 <b>18.70</b>	1 <b>0.81</b>
West Midlands	339	144 <b>42.48</b>	136 <b>40.12</b>	52 <b>15.34</b>	7 <b>2.06</b>
Trent	205	79 <b>38.54</b>	90 <b>43.90</b>	35 <b>17.07</b>	1 <b>0.49</b>
Wessex	119	25 <b>21.01</b>	91 <b>76.47</b>	3 <b>2.52</b>	0 <b>0.00</b>
Northern Ireland	30	0 <b>0.00</b>	30 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
National totals and averages	3210	1906 <b>59.38</b>	915 <b>28.50</b>	370 <b>11.53</b>	19 <b>0.59</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis A vaccination, all cases: grouped by Region.  
 Ordered by percentage cases vaccinated for hepatitis A.  
 (Case notes audit: Q13)

Region	Total cases (%)	Yes (%)	No (%)	Not appropriate (%)	Don't know (%)	Not answered (%)
North West	179	72 <b>40.22</b>	29 <b>16.20</b>	66 <b>36.87</b>	10 <b>5.59</b>	2 <b>1.12</b>
Merseyside	129	47 <b>36.43</b>	22 <b>17.05</b>	35 <b>27.13</b>	25 <b>19.38</b>	0 <b>0.00</b>
Northern	68	23 <b>33.82</b>	18 <b>26.47</b>	21 <b>30.88</b>	4 <b>5.88</b>	2 <b>2.94</b>
Scotland	105	23 <b>21.90</b>	35 <b>33.33</b>	20 <b>19.05</b>	24 <b>22.86</b>	3 <b>2.86</b>
Wales	74	16 <b>21.62</b>	21 <b>28.38</b>	20 <b>27.03</b>	14 <b>18.92</b>	3 <b>4.05</b>
South Thames	510	103 <b>20.20</b>	137 <b>26.86</b>	172 <b>33.73</b>	98 <b>19.22</b>	0 <b>0.00</b>
North Thames	665	105 <b>15.79</b>	197 <b>29.62</b>	225 <b>33.83</b>	130 <b>19.55</b>	8 <b>1.20</b>
Anglia	169	26 <b>15.38</b>	63 <b>37.28</b>	38 <b>22.49</b>	42 <b>24.85</b>	0 <b>0.00</b>
ID	204	28 <b>13.73</b>	40 <b>19.61</b>	77 <b>37.75</b>	58 <b>28.43</b>	1 <b>0.49</b>
Yorkshire	172	18 <b>10.47</b>	62 <b>36.05</b>	54 <b>31.40</b>	36 <b>20.93</b>	2 <b>1.16</b>
West Midlands	339	35 <b>10.32</b>	129 <b>38.05</b>	38 <b>11.21</b>	131 <b>38.64</b>	6 <b>1.77</b>
South West	119	12 <b>10.08</b>	37 <b>31.09</b>	26 <b>21.85</b>	41 <b>34.45</b>	3 <b>2.52</b>
Northern Ireland	30	3 <b>10.00</b>	27 <b>90.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Trent	205	16 <b>7.80</b>	69 <b>33.66</b>	61 <b>29.76</b>	55 <b>26.83</b>	4 <b>1.95</b>
Oxford	123	4 <b>3.25</b>	51 <b>41.46</b>	35 <b>28.46</b>	31 <b>25.20</b>	2 <b>1.63</b>
Wessex	119	2 <b>1.68</b>	111 <b>93.28</b>	3 <b>2.52</b>	3 <b>2.52</b>	0 <b>0.00</b>
National totals and averages	3210	533 <b>16.60</b>	1048 <b>32.65</b>	891 <b>27.76</b>	702 <b>21.87</b>	36 <b>1.12</b>

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis A vaccination, eligible\* cases: grouped by Region.  
 Ordered by percentage cases vaccinated for hepatitis A.  
 (Case notes audit: Q13)

Region	Total cases (%)	Eligible* cases	Vaccinated - denominator eligible cases (%)	
North West	179	113	72	<b>63.72</b>
Merseyside	129	94	47	<b>50.00</b>
Northern	68	47	23	<b>48.94</b>
Scotland	105	85	23	<b>27.06</b>
Wales	74	54	16	<b>29.63</b>
South Thames	510	338	103	<b>30.47</b>
North Thames	665	440	105	<b>23.86</b>
Anglia	169	131	26	<b>19.85</b>
ID	204	127	28	<b>22.05</b>
Yorkshire	172	118	18	<b>15.25</b>
West Midlands	339	301	35	<b>11.63</b>
South West	119	93	12	<b>12.90</b>
Northern Ireland	30	30	3	<b>10.00</b>
Trent	205	144	16	<b>11.11</b>
Oxford	123	88	4	<b>4.55</b>
Wessex	119	116	2	<b>1.72</b>
National totals and averages	3210	2319	533	<b>22.98</b>

\*Total cases minus cases designated not appropriate cases

[Return to Summary](#)

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
**(Case notes Audit)**

Hepatitis A vaccination of cases resident in a local outbreak area: grouped by Region.

Ordered by percentage cases vaccinated.  
(Case notes audit: Q11)

Region	Number eligible*	Number vaccinated (%)	
North Thames	7	2	<b>28.57</b>
Anglia	0	0	<b>NA</b>
ID	1	0	<b>0.00</b>
Merseyside	0	0	<b>NA</b>
North West	0	0	<b>NA</b>
Northern	0	0	<b>NA</b>
Northern Ireland	0	0	<b>NA</b>
Oxford	0	0	<b>NA</b>
Scotland	0	0	<b>NA</b>
South Thames	0	0	<b>NA</b>
South West	0	0	<b>NA</b>
Trent	0	0	<b>NA</b>
Wales	0	0	<b>NA</b>
Wessex	0	0	<b>NA</b>
West Midlands	1	0	<b>0.00</b>
Yorkshire	0	0	<b>NA</b>
National total and averages	9	2	<b>22.22</b>

\*Cases resident in a local hepatitis A outbreak area minus cases designated not appropriate

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis A vaccination of cases resident in a large city\*: grouped by Region.  
 Ordered by percentage cases vaccinated.  
 (Case notes audit: Q11)

Region	Number eligible†	Number vaccinated (%)	
		Number	Percentage
Wales	1	1	<b>100.00</b>
North West	47	32	<b>68.09</b>
Merseyside	11	7	<b>63.64</b>
Northern	2	1	<b>50.00</b>
ID	42	13	<b>30.95</b>
North Thames	233	67	<b>28.76</b>
South Thames	88	24	<b>27.27</b>
West Midlands	56	9	<b>16.07</b>
Yorkshire	29	4	<b>13.79</b>
Anglia	0	0	<b>NA</b>
Northern Ireland	0	0	<b>NA</b>
Oxford	0	0	<b>NA</b>
Scotland	2	0	<b>0.00</b>
South West	1	0	<b>0.00</b>
Trent	1	0	<b>0.00</b>
Wessex	0	0	<b>NA</b>
National total and average	513	158	<b>30.80</b>

\*Large city defined as population above 1 million

†Cases resident in a large city area minus cases designated not appropriate

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis A vaccination of cases travelling outside the UK: grouped by Region.  
 Ordered by percentage cases vaccinated.  
 (Case notes audit: Q11)

Region	Number eligible*	Number vaccinated (%)	
North West	11	11	<b>100.00</b>
Merseyside	42	22	<b>52.38</b>
South Thames	72	31	<b>43.06</b>
Wales	14	5	<b>35.71</b>
Northern	9	3	<b>33.33</b>
Anglia	57	18	<b>31.58</b>
ID	27	8	<b>29.63</b>
Scotland	18	5	<b>27.78</b>
North Thames	117	30	<b>25.64</b>
Yorkshire	25	6	<b>24.00</b>
South West	36	8	<b>22.22</b>
West Midlands	56	6	<b>10.71</b>
Trent	48	4	<b>8.33</b>
Oxford	13	1	<b>7.69</b>
Northern Ireland	0	0	<b>NA</b>
Wessex	3	0	<b>0.00</b>
National total and averages	548	158	<b>28.83</b>

\*Cases travelling outside the UK minus cases designated not appropriate

[Return to Summary](#)

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
**(Case notes Audit)**

Hepatitis A vaccination of intravenous drug users: grouped by Region.

Ordered by percentage cases vaccinated.  
(Case notes audit: Q11)

Region	Number eligible*	Number vaccinated (%)	
North West	1	1	<b>100.00</b>
Merseyside	2	1	<b>50.00</b>
Trent	4	2	<b>50.00</b>
West Midlands	5	2	<b>40.00</b>
ID	6	2	<b>33.33</b>
South Thames	7	2	<b>28.57</b>
North Thames	7	1	<b>14.29</b>
Anglia	10	1	<b>10.00</b>
Northern	1	0	<b>0.00</b>
Northern Ireland	0	0	<b>NA</b>
Oxford	2	0	<b>0.00</b>
Scotland	8	0	<b>0.00</b>
South West	2	0	<b>0.00</b>
Wales	3	0	<b>0.00</b>
Wessex	2	0	<b>0.00</b>
Yorkshire	1	0	<b>0.00</b>
National total and average	61	12	<b>19.67</b>

\*Cases designated IDU risk minus cases designated not appropriate

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis B testing, all cases: grouped by Region.  
 Ordered by percentage cases tested for hepatitis B.  
 (Case notes audit: Q14)

Region	Total cases (%)	Yes (%)	No (%)	Don't know (%)	Not answered (%)
Merseyside	129	129 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Wales	74	74 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Wessex	119	119 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
ID	204	203 <b>99.51</b>	0 <b>0.00</b>	1 <b>0.49</b>	0 <b>0.00</b>
Anglia	169	167 <b>98.82</b>	1 <b>0.59</b>	1 <b>0.59</b>	0 <b>0.00</b>
Oxford	123	121 <b>98.37</b>	2 <b>1.63</b>	0 <b>0.00</b>	0 <b>0.00</b>
North West	179	176 <b>98.32</b>	1 <b>0.56</b>	1 <b>0.56</b>	1 <b>0.56</b>
Yorkshire	172	169 <b>98.26</b>	1 <b>0.58</b>	2 <b>1.16</b>	0 <b>0.00</b>
North Thames	665	652 <b>98.05</b>	5 <b>0.75</b>	6 <b>0.90</b>	2 <b>0.30</b>
South Thames	510	498 <b>97.65</b>	0 <b>0.00</b>	12 <b>2.35</b>	0 <b>0.00</b>
Northern Ireland	30	29 <b>96.67</b>	1 <b>3.33</b>	0 <b>0.00</b>	0 <b>0.00</b>
West Midlands	339	325 <b>95.87</b>	3 <b>0.88</b>	11 <b>3.24</b>	0 <b>0.00</b>
South West	119	114 <b>95.80</b>	2 <b>1.68</b>	3 <b>2.52</b>	0 <b>0.00</b>
Trent	205	196 <b>95.61</b>	4 <b>1.95</b>	5 <b>2.44</b>	0 <b>0.00</b>
Northern	68	65 <b>95.59</b>	2 <b>2.94</b>	1 <b>1.47</b>	0 <b>0.00</b>
Scotland	105	100 <b>95.24</b>	2 <b>1.90</b>	0 <b>0.00</b>	3 <b>2.86</b>
National totals and averages	3210	3137 <b>97.73</b>	24 <b>0.75</b>	43 <b>1.34</b>	6 <b>0.19</b>

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis B vaccination offer, all cases: grouped by Region.  
 Ordered by percentage cases offered vaccination for hepatitis B.  
 (Case notes audit: Q15)

Region	Total cases (%)	Yes (%)	Yes - denominator Total cases minus Not appropriate cases (%)	No (%)	Not appropriate (%)	Don't know (%)	Not answered (%)
Northern Ireland	30	27 <b>90.00</b>	27 <b>96.43</b>	1 <b>3.33</b>	2 <b>6.67</b>	0 <b>0.00</b>	0 <b>0.00</b>
Northern	68	47 <b>69.12</b>	47 <b>95.92</b>	1 <b>1.47</b>	19 <b>27.94</b>	1 <b>1.47</b>	0 <b>0.00</b>
North West	179	109 <b>60.89</b>	109 <b>91.60</b>	4 <b>2.23</b>	60 <b>33.52</b>	2 <b>1.12</b>	4 <b>2.23</b>
Merseyside	129	77 <b>59.69</b>	77 <b>73.33</b>	15 <b>11.63</b>	24 <b>18.60</b>	12 <b>9.30</b>	1 <b>0.78</b>
Scotland	105	62 <b>59.05</b>	62 <b>80.52</b>	4 <b>3.81</b>	28 <b>26.67</b>	5 <b>4.76</b>	6 <b>5.71</b>
North Thames	665	368 <b>55.34</b>	368 <b>81.06</b>	41 <b>6.17</b>	211 <b>31.73</b>	38 <b>5.71</b>	7 <b>1.05</b>
South West	119	61 <b>51.26</b>	61 <b>72.62</b>	10 <b>8.40</b>	35 <b>29.41</b>	11 <b>9.24</b>	2 <b>1.68</b>
South Thames	510	257 <b>50.39</b>	257 <b>82.64</b>	26 <b>5.10</b>	199 <b>39.02</b>	28 <b>5.49</b>	0 <b>0.00</b>
West Midlands	339	166 <b>48.97</b>	166 <b>74.44</b>	22 <b>6.49</b>	116 <b>34.22</b>	27 <b>7.96</b>	8 <b>2.36</b>
Wales	74	36 <b>48.65</b>	36 <b>80.00</b>	6 <b>8.11</b>	29 <b>39.19</b>	0 <b>0.00</b>	3 <b>4.05</b>
Anglia	169	80 <b>47.34</b>	80 <b>88.89</b>	2 <b>1.18</b>	79 <b>46.75</b>	7 <b>4.14</b>	1 <b>0.59</b>
Yorkshire	172	77 <b>44.77</b>	77 <b>68.75</b>	19 <b>11.05</b>	60 <b>34.88</b>	11 <b>6.40</b>	5 <b>2.91</b>
Wessex	119	52 <b>43.70</b>	52 <b>81.25</b>	12 <b>10.08</b>	55 <b>46.22</b>	0 <b>0.00</b>	0 <b>0.00</b>
Trent	205	79 <b>38.54</b>	79 <b>59.40</b>	28 <b>13.66</b>	72 <b>35.12</b>	21 <b>10.24</b>	5 <b>2.44</b>
ID	204	77 <b>37.75</b>	77 <b>64.71</b>	17 <b>8.33</b>	85 <b>41.67</b>	25 <b>12.25</b>	0 <b>0.00</b>
Oxford	123	31 <b>25.20</b>	31 <b>46.97</b>	30 <b>24.39</b>	57 <b>46.34</b>	5 <b>4.07</b>	0 <b>0.00</b>
National totals and averages	3210	1606 <b>50.03</b>	1606 <b>77.25</b>	238 <b>7.41</b>	1131 <b>35.23</b>	193 <b>6.01</b>	42 <b>1.31</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Offer of hepatitis B vaccination, eligible\* cases: grouped by Region  
 Ordered by percentage cases offered vaccination for hepatitis B.  
 (Case notes audit: Q15)

Region	Total cases (%)	Eligible* cases	Vaccinated - denominator eligible cases (%)	
Northern Ireland	30	28	27	96.43
Northern	68	49	47	95.92
North West	179	119	109	91.60
Anglia	169	90	80	88.89
South Thames	510	311	257	82.64
Wessex	119	64	52	81.25
North Thames	665	454	368	81.06
Scotland	105	77	62	80.52
Wales	74	45	36	80.00
West Midlands	339	223	166	74.44
Merseyside	129	105	77	73.33
South West	119	84	61	72.62
Yorkshire	172	112	77	68.75
ID	204	119	77	64.71
Trent	205	133	79	59.40
Oxford	123	66	31	46.97
National totals and averages	3210	2079	1606	<b>77.25</b>

\*Total cases minus cases designated not appropriate cases

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Hepatitis C testing: grouped by Region.  
 Ordered by percentage cases tested for hepatitis C.  
 (Case notes audit: Q16)

Region	Total cases (%)	Yes (%)	No (%)	Don't know (%)	Not answered (%)
Wessex	119	119 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
ID	204	201 <b>98.53</b>	1 <b>0.49</b>	2 <b>0.98</b>	0 <b>0.00</b>
Northern Ireland	30	29 <b>96.67</b>	1 <b>3.33</b>	0 <b>0.00</b>	0 <b>0.00</b>
North West	179	170 <b>94.97</b>	5 <b>2.79</b>	4 <b>2.23</b>	0 <b>0.00</b>
Northern	68	64 <b>94.12</b>	2 <b>2.94</b>	2 <b>2.94</b>	0 <b>0.00</b>
Anglia	169	158 <b>93.49</b>	5 <b>2.96</b>	6 <b>3.55</b>	0 <b>0.00</b>
Merseyside	129	120 <b>93.02</b>	5 <b>3.88</b>	4 <b>3.10</b>	0 <b>0.00</b>
Yorkshire	172	160 <b>93.02</b>	10 <b>5.81</b>	2 <b>1.16</b>	0 <b>0.00</b>
Wales	74	68 <b>91.89</b>	5 <b>6.76</b>	1 <b>1.35</b>	0 <b>0.00</b>
North Thames	665	607 <b>91.28</b>	46 <b>6.92</b>	12 <b>1.80</b>	0 <b>0.00</b>
South Thames	510	460 <b>90.20</b>	26 <b>5.10</b>	24 <b>4.71</b>	0 <b>0.00</b>
Scotland	105	94 <b>89.52</b>	9 <b>8.57</b>	1 <b>0.95</b>	1 <b>0.95</b>
Oxford	123	110 <b>89.43</b>	9 <b>7.32</b>	4 <b>3.25</b>	0 <b>0.00</b>
South West	119	106 <b>89.08</b>	9 <b>7.56</b>	4 <b>3.36</b>	0 <b>0.00</b>
Trent	205	176 <b>85.85</b>	19 <b>9.27</b>	10 <b>4.88</b>	0 <b>0.00</b>
West Midlands	339	268 <b>79.06</b>	42 <b>12.39</b>	28 <b>8.26</b>	1 <b>0.29</b>
National totals and averages	3210	2910 <b>90.65</b>	194 <b>6.04</b>	104 <b>3.24</b>	2 <b>0.06</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Newly acquired diagnoses in past year or since informed of HIV positive status\*: grouped by Region.

Ordered by percentage cases with syphilis.

(Case notes audit: Q17)

Region	Syphilis (%)	Chlamydia (%)	Gonorrhoea (%)	Genital Herpes (%)	Bacterial vaginosis (% females)	Hep A (pos IgM) (%)	Hep B (pos Surf Ag) (%)	Hep C (%)	NGU (% males)	LGV (%)	Other (%)	None/Not answered (%)
Northern	4 <b>5.88</b>	1 <b>1.47</b>	3 <b>4.41</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	3 <b>6.38</b>	0 <b>0.00</b>	1 <b>1.47</b>	59 <b>86.76</b>
North Thames	29 <b>4.36</b>	12 <b>1.80</b>	16 <b>2.41</b>	28 <b>4.21</b>	18 <b>6.21</b>	1 <b>0.15</b>	6 <b>0.90</b>	11 <b>1.65</b>	5 <b>1.33</b>	4 <b>0.60</b>	33 <b>4.96</b>	443 <b>66.62</b>
Wales	3 <b>4.05</b>	0 <b>0.00</b>	1 <b>1.35</b>	0 <b>0.00</b>	3 <b>16.67</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>1.35</b>	4 <b>7.14</b>	0 <b>0.00</b>	1 <b>1.35</b>	65 <b>87.84</b>
North West	7 <b>3.91</b>	4 <b>2.23</b>	9 <b>5.03</b>	5 <b>2.79</b>	1 <b>2.08</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	2 <b>1.53</b>	1 <b>0.56</b>	10 <b>5.59</b>	139 <b>77.65</b>
Scotland	4 <b>3.81</b>	4 <b>3.81</b>	1 <b>0.95</b>	4 <b>3.81</b>	1 <b>4.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	2 <b>1.90</b>	0 <b>0.00</b>	0 <b>0.00</b>	4 <b>3.81</b>	80 <b>76.19</b>
Anglia	6 <b>3.55</b>	5 <b>2.96</b>	1 <b>0.59</b>	8 <b>4.73</b>	4 <b>8.70</b>	1 <b>0.59</b>	0 <b>0.00</b>	0 <b>0.00</b>	3 <b>2.44</b>	0 <b>0.00</b>	5 <b>2.96</b>	137 <b>81.07</b>
Wessex	4 <b>3.36</b>	0 <b>0.00</b>	1 <b>0.84</b>	2 <b>1.68</b>	2 <b>5.13</b>	0 <b>0.00</b>	2 <b>1.68</b>	0 <b>0.00</b>	4 <b>5.00</b>	0 <b>0.00</b>	5 <b>4.20</b>	52 <b>43.70</b>
South Thames	17 <b>3.33</b>	6 <b>1.18</b>	11 <b>2.16</b>	9 <b>1.76</b>	11 <b>5.09</b>	0 <b>0.00</b>	2 <b>0.39</b>	1 <b>0.20</b>	9 <b>3.06</b>	4 <b>0.78</b>	19 <b>3.73</b>	424 <b>83.14</b>
Oxford	4 <b>3.25</b>	4 <b>3.25</b>	5 <b>4.07</b>	7 <b>5.69</b>	1 <b>1.67</b>	0 <b>0.00</b>	0 <b>0.00</b>	3 <b>2.44</b>	8 <b>12.70</b>	0 <b>0.00</b>	12 <b>9.76</b>	86 <b>69.92</b>
West Midlands	11 <b>3.24</b>	7 <b>2.06</b>	11 <b>3.24</b>	15 <b>4.42</b>	3 <b>2.40</b>	1 <b>0.29</b>	1 <b>0.29</b>	0 <b>0.00</b>	6 <b>2.82</b>	1 <b>0.29</b>	19 <b>5.60</b>	222 <b>65.49</b>
ID	6 <b>2.94</b>	2 <b>0.98</b>	0 <b>0.00</b>	2 <b>0.98</b>	2 <b>3.17</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>0.49</b>	1 <b>0.71</b>	0 <b>0.00</b>	1 <b>0.49</b>	177 <b>86.76</b>
Yorkshire	4 <b>2.33</b>	3 <b>1.74</b>	4 <b>2.33</b>	7 <b>4.07</b>	5 <b>6.76</b>	1 <b>0.58</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	4 <b>2.33</b>	144 <b>83.72</b>
Merseyside	3 <b>2.33</b>	8 <b>6.20</b>	4 <b>3.10</b>	4 <b>3.10</b>	3 <b>10.34</b>	1 <b>0.78</b>	3 <b>2.33</b>	3 <b>2.33</b>	2 <b>2.00</b>	0 <b>0.00</b>	2 <b>1.55</b>	95 <b>73.64</b>
South West	2 <b>1.68</b>	1 <b>0.84</b>	2 <b>1.68</b>	4 <b>3.36</b>	1 <b>2.86</b>	0 <b>0.00</b>	4 <b>3.36</b>	2 <b>1.68</b>	3 <b>3.61</b>	0 <b>0.00</b>	8 <b>6.72</b>	87 <b>73.11</b>
Trent	0 <b>0.00</b>	4 <b>1.95</b>	5 <b>2.44</b>	14 <b>6.83</b>	9 <b>9.78</b>	0 <b>0.00</b>	1 <b>0.49</b>	0 <b>0.00</b>	8 <b>7.08</b>	0 <b>0.00</b>	9 <b>4.39</b>	151 <b>73.66</b>
Northern Ireland	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>3.33</b>	0 <b>0.00</b>	1 <b>4.17</b>	0 <b>0.00</b>	0 <b>0.00</b>	28 <b>93.33</b>
National totals and averages	104 <b>3.24</b>	61 <b>1.90</b>	74 <b>2.31</b>	109 <b>3.40</b>	64 <b>5.40</b>	5 <b>0.16</b>	20 <b>0.62</b>	24 <b>0.75</b>	59 <b>2.92</b>	10 <b>0.31</b>	133 <b>4.14</b>	2389 <b>74.42</b>

Note: more than one choice was used

\*Whichever is the shorter period

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Safe sex advice documented within 4 weeks of diagnosis of HIV infection, all cases: grouped by Region.

Ordered by percentage cases for whom safe sex documented.

(Case notes audit: Q18)

Region	Total cases (%)	Yes (%)	No (%)	Don't know(%)	Not answered (%)
Northern Ireland	30	25 <b>83.33</b>	0 <b>0.00</b>	5 <b>16.67</b>	0 <b>0.00</b>
Northern	68	50 <b>73.53</b>	5 <b>7.35</b>	13 <b>19.12</b>	0 <b>0.00</b>
Wessex	119	79 <b>66.39</b>	3 <b>2.52</b>	28 <b>23.53</b>	9 <b>7.56</b>
North Thames	665	414 <b>62.26</b>	86 <b>12.93</b>	143 <b>21.50</b>	22 <b>3.31</b>
Wales	74	46 <b>62.16</b>	5 <b>6.76</b>	21 <b>28.38</b>	2 <b>2.70</b>
Oxford	123	67 <b>54.47</b>	27 <b>21.95</b>	26 <b>21.14</b>	3 <b>2.44</b>
South Thames	510	264 <b>51.76</b>	53 <b>10.39</b>	187 <b>36.67</b>	6 <b>1.18</b>
West Midlands	339	175 <b>51.62</b>	53 <b>15.63</b>	91 <b>26.84</b>	20 <b>5.90</b>
Trent	205	105 <b>51.22</b>	29 <b>14.15</b>	67 <b>32.68</b>	4 <b>1.95</b>
Scotland	105	53 <b>50.48</b>	21 <b>20.00</b>	29 <b>27.62</b>	2 <b>1.90</b>
Anglia	169	82 <b>48.52</b>	14 <b>8.28</b>	72 <b>42.60</b>	1 <b>0.59</b>
North West	179	84 <b>46.93</b>	8 <b>4.47</b>	69 <b>38.55</b>	18 <b>10.06</b>
Merseyside	129	56 <b>43.41</b>	30 <b>23.26</b>	43 <b>33.33</b>	0 <b>0.00</b>
Yorkshire	172	54 <b>31.40</b>	64 <b>37.21</b>	51 <b>29.65</b>	3 <b>1.74</b>
South West	119	37 <b>31.09</b>	26 <b>21.85</b>	55 <b>46.22</b>	1 <b>0.84</b>
ID	204	37 <b>18.14</b>	76 <b>37.25</b>	88 <b>43.14</b>	3 <b>1.47</b>
National totals and averages	3210	1628 <b>50.72</b>	500 <b>15.58</b>	988 <b>30.78</b>	94 <b>2.93</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Safe sex advice documented within 4 weeks of diagnosis of HIV infection, no previous management at another centre: grouped by Region.

Ordered by percentage cases for whom safe sex documented.

(Case notes audit: Q18)

Region	Eligible* cases (%)	Yes (%)	No (%)	Don't know(%)	Not answered (%)
Northern Ireland	22	22 <b>100.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Wales	37	33 <b>89.19</b>	2 <b>5.41</b>	1 <b>2.70</b>	1 <b>2.70</b>
Wessex	75	64 <b>85.33</b>	2 <b>2.67</b>	1 <b>1.33</b>	8 <b>10.67</b>
Northern	39	33 <b>84.62</b>	5 <b>12.82</b>	1 <b>2.56</b>	0 <b>0.00</b>
North Thames	399	289 <b>72.43</b>	66 <b>16.54</b>	28 <b>7.02</b>	16 <b>4.01</b>
South Thames	330	219 <b>66.36</b>	43 <b>13.03</b>	64 <b>19.39</b>	4 <b>1.21</b>
Scotland	44	29 <b>65.91</b>	15 <b>34.09</b>	0 <b>0.00</b>	0 <b>0.00</b>
Oxford	99	65 <b>65.66</b>	22 <b>22.22</b>	10 <b>10.10</b>	2 <b>2.02</b>
West Midlands	167	105 <b>62.87</b>	35 <b>20.96</b>	19 <b>11.38</b>	8 <b>4.79</b>
Anglia	73	42 <b>57.53</b>	11 <b>15.07</b>	20 <b>27.40</b>	0 <b>0.00</b>
Trent	110	63 <b>57.27</b>	23 <b>20.91</b>	21 <b>19.09</b>	3 <b>2.73</b>
Merseyside	90	47 <b>52.22</b>	23 <b>25.56</b>	20 <b>22.22</b>	0 <b>0.00</b>
North West	97	50 <b>51.55</b>	5 <b>5.15</b>	30 <b>30.93</b>	12 <b>12.37</b>
South West	63	31 <b>49.21</b>	18 <b>28.57</b>	14 <b>22.22</b>	0 <b>0.00</b>
Yorkshire	106	38 <b>35.85</b>	53 <b>50.00</b>	12 <b>11.32</b>	3 <b>2.83</b>
ID	111	24 <b>21.62</b>	45 <b>40.54</b>	40 <b>36.04</b>	2 <b>1.80</b>
Total cases minus cases seen at another centre	1862	1154 <b>61.98</b>	368 <b>19.76</b>	281 <b>15.09</b>	59 <b>3.17</b>

\*Total cases minus cases seen at another centre

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Recorded use of condoms by MSM for ano-receptive sex:  
grouped by Region.

Ordered by percentage cases for whom use not known.

North West Case Notes Audit Q19

Clinic	Total MSM (%)	Always (%)	Sometimes (%)	Never (%)	N/A (%)	Not known (%)	Not answered (%)
ID	74	9 <b>12.16</b>	6 <b>8.11</b>	1 <b>1.35</b>	1 <b>1.35</b>	56 <b>75.68</b>	1 <b>1.35</b>
Merseyside	70	11 <b>15.71</b>	8 <b>11.43</b>	3 <b>4.29</b>	3 <b>4.29</b>	45 <b>64.29</b>	0 <b>0.00</b>
Scotland	58	11 <b>18.97</b>	8 <b>13.79</b>	2 <b>3.45</b>	7 <b>12.07</b>	28 <b>48.28</b>	2 <b>3.45</b>
North Thames	238	59 <b>24.79</b>	46 <b>19.33</b>	9 <b>3.78</b>	7 <b>2.94</b>	111 <b>46.64</b>	6 <b>2.52</b>
Yorkshire	50	14 <b>28.00</b>	7 <b>14.00</b>	1 <b>2.00</b>	7 <b>14.00</b>	21 <b>42.00</b>	0 <b>0.00</b>
South West	48	8 <b>16.67</b>	12 <b>25.00</b>	3 <b>6.25</b>	5 <b>10.42</b>	18 <b>37.50</b>	2 <b>4.17</b>
West Midlands	121	33 <b>27.27</b>	11 <b>9.09</b>	6 <b>4.96</b>	16 <b>13.22</b>	41 <b>33.88</b>	14 <b>11.57</b>
North West	110	33 <b>30.00</b>	26 <b>23.64</b>	2 <b>1.82</b>	11 <b>10.00</b>	36 <b>32.73</b>	2 <b>1.82</b>
South Thames	187	61 <b>32.62</b>	24 <b>12.83</b>	11 <b>5.88</b>	35 <b>18.72</b>	56 <b>29.95</b>	0 <b>0.00</b>
Trent	55	18 <b>32.73</b>	12 <b>21.82</b>	3 <b>5.45</b>	8 <b>14.55</b>	14 <b>25.45</b>	0 <b>0.00</b>
Northern Ireland	17	5 <b>29.41</b>	7 <b>41.18</b>	0 <b>0.00</b>	1 <b>5.88</b>	4 <b>23.53</b>	0 <b>0.00</b>
Anglia	73	26 <b>35.62</b>	11 <b>15.07</b>	1 <b>1.37</b>	18 <b>24.66</b>	17 <b>23.29</b>	0 <b>0.00</b>
Oxford	26	9 <b>34.62</b>	5 <b>19.23</b>	0 <b>0.00</b>	7 <b>26.92</b>	5 <b>19.23</b>	0 <b>0.00</b>
Wessex	59	13 <b>22.03</b>	19 <b>32.20</b>	0 <b>0.00</b>	16 <b>27.12</b>	11 <b>18.64</b>	0 <b>0.00</b>
Wales	40	22 <b>55.00</b>	3 <b>7.50</b>	0 <b>0.00</b>	8 <b>20.00</b>	7 <b>17.50</b>	0 <b>0.00</b>
Northern	37	8 <b>21.62</b>	9 <b>24.32</b>	1 <b>2.70</b>	14 <b>37.84</b>	5 <b>13.51</b>	0 <b>0.00</b>
National totals and averages for MSM	1263	340 <b>26.92</b>	214 <b>16.94</b>	43 <b>3.40</b>	164 <b>12.98</b>	475 <b>37.61</b>	27 <b>2.14</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Recorded use of condoms by MSM for ano-insertive sex:  
grouped by Region.

Ordered by percentage cases for whom use not known.

Case Notes Audit Q19

Clinic	Total MSM (%)	Always (%)	Sometimes (%)	Never (%)	N/A (%)	Not known (%)		Not answered (%)
ID	74	10 <b>13.51</b>	6 <b>8.11</b>	1 <b>1.35</b>	2 <b>2.70</b>	54	<b>72.97</b>	1 <b>1.35</b>
Merseyside	70	7 <b>10.00</b>	8 <b>11.43</b>	3 <b>4.29</b>	5 <b>7.14</b>	47	<b>67.14</b>	0 <b>0.00</b>
North Thames	238	52 <b>21.85</b>	44 <b>18.49</b>	10 <b>4.20</b>	12 <b>5.04</b>	112	<b>47.06</b>	8 <b>3.36</b>
Scotland	58	14 <b>24.14</b>	8 <b>13.79</b>	2 <b>3.45</b>	6 <b>10.34</b>	26	<b>44.83</b>	2 <b>3.45</b>
Yorkshire	50	13 <b>26.00</b>	8 <b>16.00</b>	2 <b>4.00</b>	6 <b>12.00</b>	21	<b>42.00</b>	0 <b>0.00</b>
South West	48	8 <b>16.67</b>	12 <b>25.00</b>	2 <b>4.17</b>	4 <b>8.33</b>	19	<b>39.58</b>	3 <b>6.25</b>
Northern Ireland	17	3 <b>17.65</b>	7 <b>41.18</b>	0 <b>0.00</b>	1 <b>5.88</b>	6	<b>35.29</b>	0 <b>0.00</b>
West Midlands	121	37 <b>30.58</b>	9 <b>7.44</b>	5 <b>4.13</b>	16 <b>13.22</b>	41	<b>33.88</b>	13 <b>10.74</b>
North West	110	35 <b>31.82</b>	24 <b>21.82</b>	1 <b>0.91</b>	14 <b>12.73</b>	35	<b>31.82</b>	1 <b>0.91</b>
South Thames	187	54 <b>28.88</b>	20 <b>10.70</b>	12 <b>6.42</b>	45 <b>24.06</b>	56	<b>29.95</b>	0 <b>0.00</b>
Anglia	73	24 <b>32.88</b>	11 <b>15.07</b>	1 <b>1.37</b>	19 <b>26.03</b>	18	<b>24.66</b>	0 <b>0.00</b>
Trent	55	19 <b>34.55</b>	12 <b>21.82</b>	3 <b>5.45</b>	8 <b>14.55</b>	12	<b>21.82</b>	1 <b>1.82</b>
Oxford	26	8 <b>30.77</b>	5 <b>19.23</b>	0 <b>0.00</b>	8 <b>30.77</b>	5	<b>19.23</b>	0 <b>0.00</b>
Wessex	59	12 <b>20.34</b>	19 <b>32.20</b>	0 <b>0.00</b>	17 <b>28.81</b>	11	<b>18.64</b>	0 <b>0.00</b>
Wales	40	22 <b>55.00</b>	3 <b>7.50</b>	0 <b>0.00</b>	8 <b>20.00</b>	7	<b>17.50</b>	0 <b>0.00</b>
Northern	37	8 <b>21.62</b>	9 <b>24.32</b>	1 <b>2.70</b>	14 <b>37.84</b>	5	<b>13.51</b>	0 <b>0.00</b>
National totals and averages for MSM	1263	326 <b>25.81</b>	205 <b>16.23</b>	43 <b>3.40</b>	185 <b>14.65</b>	475	<b>37.61</b>	29 <b>2.30</b>

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Recorded use of condoms by women for vaginal sex: grouped by Region.

Ordered by percentage cases for whom use not known.

North West Case Notes Audit Q19

Clinic	Total women (%)	Always (%)	Sometimes (%)	Never (%)	N/A (%)	Not known (%)	Not answered (%)
ID	63	16 <b>25.40</b>	3 <b>4.76</b>	0 <b>0.00</b>	8 <b>12.70</b>	36 <b>57.14</b>	0 <b>0.00</b>
Trent	92	34 <b>36.96</b>	12 <b>13.04</b>	0 <b>0.00</b>	12 <b>13.04</b>	32 <b>34.78</b>	2 <b>2.17</b>
Merseyside	29	12 <b>41.38</b>	4 <b>13.79</b>	2 <b>6.90</b>	1 <b>3.45</b>	10 <b>34.48</b>	0 <b>0.00</b>
Yorkshire	74	25 <b>33.78</b>	10 <b>13.51</b>	4 <b>5.41</b>	11 <b>14.86</b>	23 <b>31.08</b>	1 <b>1.35</b>
North Thames	290	113 <b>38.97</b>	38 <b>13.10</b>	18 <b>6.21</b>	41 <b>14.14</b>	74 <b>25.52</b>	6 <b>2.07</b>
South Thames	216	74 <b>34.26</b>	37 <b>17.13</b>	17 <b>7.87</b>	36 <b>16.67</b>	52 <b>24.07</b>	0 <b>0.00</b>
Scotland	25	12 <b>48.00</b>	2 <b>8.00</b>	0 <b>0.00</b>	5 <b>20.00</b>	6 <b>24.00</b>	0 <b>0.00</b>
West Midlands	125	49 <b>39.20</b>	9 <b>7.20</b>	3 <b>2.40</b>	18 <b>14.40</b>	30 <b>24.00</b>	16 <b>12.80</b>
Wales	18	12 <b>66.67</b>	0 <b>0.00</b>	1 <b>5.56</b>	1 <b>5.56</b>	4 <b>22.22</b>	0 <b>0.00</b>
Oxford	60	25 <b>41.67</b>	8 <b>13.33</b>	0 <b>0.00</b>	12 <b>20.00</b>	13 <b>21.67</b>	2 <b>3.33</b>
Anglia	46	19 <b>41.30</b>	7 <b>15.22</b>	4 <b>8.70</b>	6 <b>13.04</b>	9 <b>19.57</b>	1 <b>2.17</b>
Northern	19	14 <b>73.68</b>	0 <b>0.00</b>	1 <b>5.26</b>	2 <b>10.53</b>	2 <b>10.53</b>	0 <b>0.00</b>
South West	35	18 <b>51.43</b>	6 <b>17.14</b>	4 <b>11.43</b>	4 <b>11.43</b>	3 <b>8.57</b>	0 <b>0.00</b>
North West	48	23 <b>47.92</b>	3 <b>6.25</b>	4 <b>8.33</b>	10 <b>20.83</b>	4 <b>8.33</b>	4 <b>8.33</b>
Wessex	39	21 <b>53.85</b>	11 <b>28.21</b>	0 <b>0.00</b>	5 <b>12.82</b>	2 <b>5.13</b>	0 <b>0.00</b>
Northern Ireland	6	2 <b>33.33</b>	2 <b>33.33</b>	0 <b>0.00</b>	2 <b>33.33</b>	0 <b>0.00</b>	0 <b>0.00</b>
National totals and averages for female cases	1185	469 <b>39.58</b>	152 <b>12.83</b>	58 <b>4.89</b>	174 <b>14.68</b>	300 <b>25.32</b>	32 <b>2.70</b>

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Recorded use of condoms by men (not MSM) for vaginal sex:  
grouped by Region.

Ordered by percentage cases for whom use not known.

North West Case Notes Audit Q19

Clinic	Men (not MSM) (%)	Always (%)	Sometimes (%)	Never (%)	N/A (%)	Not known (%)	Not answered (%)
ID	130	24 <b>18.46</b>	9 <b>6.92</b>	2 <b>1.54</b>	10 <b>7.69</b>	84 <b>64.62</b>	1 <b>0.77</b>
Merseyside	59	23 <b>38.98</b>	4 <b>6.78</b>	2 <b>3.39</b>	5 <b>8.47</b>	25 <b>42.37</b>	0 <b>0.00</b>
Trent	150	51 <b>34.00</b>	22 <b>14.67</b>	1 <b>0.67</b>	16 <b>10.67</b>	58 <b>38.67</b>	2 <b>1.33</b>
Yorkshire	122	41 <b>33.61</b>	15 <b>12.30</b>	4 <b>3.28</b>	14 <b>11.48</b>	47 <b>38.52</b>	1 <b>0.82</b>
North Thames	427	164 <b>38.41</b>	47 <b>11.01</b>	21 <b>4.92</b>	53 <b>12.41</b>	135 <b>31.62</b>	7 <b>1.64</b>
West Midlands	218	87 <b>39.91</b>	18 <b>8.26</b>	6 <b>2.75</b>	27 <b>12.39</b>	60 <b>27.52</b>	20 <b>9.17</b>
Scotland	47	25 <b>53.19</b>	2 <b>4.26</b>	0 <b>0.00</b>	8 <b>17.02</b>	12 <b>25.53</b>	0 <b>0.00</b>
Wales	34	20 <b>58.82</b>	0 <b>0.00</b>	1 <b>2.94</b>	5 <b>14.71</b>	8 <b>23.53</b>	0 <b>0.00</b>
South Thames	323	115 <b>35.60</b>	55 <b>17.03</b>	23 <b>7.12</b>	55 <b>17.03</b>	75 <b>23.22</b>	0 <b>0.00</b>
Oxford	97	34 <b>35.05</b>	18 <b>18.56</b>	1 <b>1.03</b>	21 <b>21.65</b>	21 <b>21.65</b>	2 <b>2.06</b>
South West	71	29 <b>40.85</b>	8 <b>11.27</b>	9 <b>12.68</b>	10 <b>14.08</b>	15 <b>21.13</b>	0 <b>0.00</b>
Anglia	96	37 <b>38.54</b>	15 <b>15.62</b>	5 <b>5.21</b>	19 <b>19.79</b>	19 <b>19.79</b>	1 <b>1.04</b>
North West	69	37 <b>53.62</b>	5 <b>7.25</b>	4 <b>5.80</b>	12 <b>17.39</b>	7 <b>10.14</b>	4 <b>5.80</b>
Northern	31	23 <b>74.19</b>	1 <b>3.23</b>	1 <b>3.23</b>	3 <b>9.68</b>	3 <b>9.68</b>	0 <b>0.00</b>
Wessex	60	32 <b>53.33</b>	15 <b>25.00</b>	0 <b>0.00</b>	11 <b>18.33</b>	2 <b>3.33</b>	0 <b>0.00</b>
Northern Ireland	13	4 <b>30.77</b>	5 <b>38.46</b>	0 <b>0.00</b>	4 <b>30.77</b>	0 <b>0.00</b>	0 <b>0.00</b>
National totals and averages (eligible cases)	1947	746 <b>38.32</b>	239 <b>12.28</b>	80 <b>4.11</b>	273 <b>14.02</b>	571 <b>29.33</b>	38 <b>1.95</b>

[Return to Summary](#)

BASHH National Audit Group  
2006 Audit of Sexual Health of People with HIV infection  
**(Case notes Audit)**

Dental dam use for orogenital sex: grouped by Region.  
Ordered by percentage cases using a dental dam.  
(Case notes audit: Q20)

Region	Total cases (%)	Yes (%)	No (%)	Not applicable (%)	Don't know(%)	Not answered (%)
South West	119	2 <b>1.68</b>	34 <b>28.57</b>	21 <b>17.65</b>	59 <b>49.58</b>	3 <b>2.52</b>
Northern	68	1 <b>1.47</b>	6 <b>8.82</b>	37 <b>54.41</b>	22 <b>32.35</b>	2 <b>2.94</b>
Wales	74	1 <b>1.35</b>	0 <b>0.00</b>	37 <b>50.00</b>	33 <b>44.59</b>	3 <b>4.05</b>
Oxford	123	1 <b>0.81</b>	12 <b>9.76</b>	55 <b>44.72</b>	52 <b>42.28</b>	3 <b>2.44</b>
North Thames	665	5 <b>0.75</b>	141 <b>21.20</b>	170 <b>25.56</b>	333 <b>50.08</b>	16 <b>2.41</b>
South Thames	510	1 <b>0.20</b>	109 <b>21.37</b>	172 <b>33.73</b>	228 <b>44.71</b>	0 <b>0.00</b>
Anglia	169	0 <b>0.00</b>	30 <b>17.75</b>	43 <b>25.44</b>	94 <b>55.62</b>	2 <b>1.18</b>
ID	204	0 <b>0.00</b>	2 <b>0.98</b>	45 <b>22.06</b>	157 <b>76.96</b>	0 <b>0.00</b>
Merseyside	129	0 <b>0.00</b>	2 <b>1.55</b>	25 <b>19.38</b>	102 <b>79.07</b>	0 <b>0.00</b>
North West	179	0 <b>0.00</b>	40 <b>22.35</b>	73 <b>40.78</b>	63 <b>35.20</b>	3 <b>1.68</b>
Northern Ireland	30	0 <b>0.00</b>	0 <b>0.00</b>	19 <b>63.33</b>	11 <b>36.67</b>	0 <b>0.00</b>
Scotland	105	0 <b>0.00</b>	28 <b>26.67</b>	14 <b>13.33</b>	58 <b>55.24</b>	5 <b>4.76</b>
Trent	205	0 <b>0.00</b>	9 <b>4.39</b>	96 <b>46.83</b>	96 <b>46.83</b>	4 <b>1.95</b>
Wessex	119	0 <b>0.00</b>	68 <b>57.14</b>	23 <b>19.33</b>	28 <b>23.53</b>	0 <b>0.00</b>
West Midlands	339	0 <b>0.00</b>	26 <b>7.67</b>	151 <b>44.54</b>	147 <b>43.36</b>	15 <b>4.42</b>
Yorkshire	172	0 <b>0.00</b>	4 <b>2.33</b>	59 <b>34.30</b>	107 <b>62.21</b>	2 <b>1.16</b>
National total and averages	3210	11 <b>0.34</b>	511 <b>15.92</b>	1040 <b>32.40</b>	1590 <b>49.53</b>	58 <b>1.81</b>

[Return to Summary](#)

**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

**Contraceptive use: grouped by Region.**  
 Ordered by percentage cases for whom method not known.  
**(Case notes audit: Q21)**

Region	Total women	OCP (%)	IUD/AUS (%)	Depot (%)	Implant (%)	Female condom (%)	Condom worn by male (%)	None (%)	Not approp (%)	Not Known (%)	Not answered (%)
South West	35	5 <b>14.29</b>	2 <b>5.71</b>	3 <b>8.57</b>	0 <b>0.00</b>	0 <b>0.00</b>	17 <b>48.57</b>	4 <b>11.43</b>	4 <b>11.43</b>	3 <b>8.57</b>	1 <b>2.86</b>
Scotland	25	1 <b>4.00</b>	2 <b>8.00</b>	1 <b>4.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	10 <b>40.00</b>	4 <b>16.00</b>	6 <b>24.00</b>	2 <b>8.00</b>	0 <b>0.00</b>
North West	48	0 <b>0.00</b>	2 <b>4.17</b>	2 <b>4.17</b>	0 <b>0.00</b>	0 <b>0.00</b>	21 <b>43.75</b>	3 <b>6.25</b>	14 <b>29.17</b>	3 <b>6.25</b>	5 <b>10.42</b>
ID	63	3 <b>4.76</b>	1 <b>1.59</b>	0 <b>0.00</b>	1 <b>1.59</b>	0 <b>0.00</b>	16 <b>25.40</b>	3 <b>4.76</b>	11 <b>17.46</b>	28 <b>44.44</b>	2 <b>3.17</b>
Merseyside	29	0 <b>0.00</b>	0 <b>0.00</b>	1 <b>3.45</b>	1 <b>3.45</b>	0 <b>0.00</b>	9 <b>31.03</b>	2 <b>6.90</b>	3 <b>10.34</b>	11 <b>37.93</b>	2 <b>6.90</b>
Yorkshire	74	2 <b>2.70</b>	1 <b>1.35</b>	3 <b>4.05</b>	2 <b>2.70</b>	1 <b>1.35</b>	24 <b>32.43</b>	16 <b>21.62</b>	12 <b>16.22</b>	15 <b>20.27</b>	1 <b>1.35</b>
North Thames	290	3 <b>1.03</b>	14 <b>4.83</b>	14 <b>4.83</b>	3 <b>1.03</b>	0 <b>0.00</b>	116 <b>40.00</b>	48 <b>16.55</b>	45 <b>15.52</b>	54 <b>18.62</b>	6 <b>2.07</b>
Trent	92	1 <b>1.09</b>	4 <b>4.35</b>	1 <b>1.09</b>	2 <b>2.17</b>	0 <b>0.00</b>	48 <b>52.17</b>	12 <b>13.04</b>	7 <b>7.61</b>	16 <b>17.39</b>	3 <b>3.26</b>
Anglia	46	3 <b>6.52</b>	5 <b>10.87</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	15 <b>32.61</b>	6 <b>13.04</b>	10 <b>21.74</b>	7 <b>15.22</b>	2 <b>4.35</b>
South Thames	216	15 <b>6.94</b>	7 <b>3.24</b>	12 <b>5.56</b>	6 <b>2.78</b>	0 <b>0.00</b>	81 <b>37.50</b>	40 <b>18.52</b>	35 <b>16.20</b>	31 <b>14.35</b>	4 <b>1.85</b>
Oxford	60	2 <b>3.33</b>	3 <b>5.00</b>	4 <b>6.67</b>	1 <b>1.67</b>	0 <b>0.00</b>	22 <b>36.67</b>	7 <b>11.67</b>	14 <b>23.33</b>	7 <b>11.67</b>	1 <b>1.67</b>
West Midlands	125	6 <b>4.80</b>	5 <b>4.00</b>	4 <b>3.20</b>	4 <b>3.20</b>	2 <b>1.60</b>	46 <b>36.80</b>	22 <b>17.60</b>	19 <b>15.20</b>	14 <b>11.20</b>	9 <b>7.20</b>
Northern	19	0 <b>0.00</b>	0 <b>0.00</b>	3 <b>15.79</b>	0 <b>0.00</b>	0 <b>0.00</b>	12 <b>63.16</b>	2 <b>10.53</b>	2 <b>10.53</b>	0 <b>0.00</b>	1 <b>5.26</b>
Northern Ireland	6	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	3 <b>50.00</b>	0 <b>0.00</b>	5 <b>83.33</b>	0 <b>0.00</b>	0 <b>0.00</b>
Wales	18	1 <b>5.56</b>	0 <b>0.00</b>	2 <b>11.11</b>	0 <b>0.00</b>	0 <b>0.00</b>	11 <b>61.11</b>	0 <b>0.00</b>	4 <b>22.22</b>	0 <b>0.00</b>	1 <b>5.56</b>
Wessex	39	4 <b>10.26</b>	0 <b>0.00</b>	2 <b>5.13</b>	1 <b>2.56</b>	1 <b>2.56</b>	18 <b>46.15</b>	5 <b>12.82</b>	10 <b>25.64</b>	0 <b>0.00</b>	0 <b>0.00</b>
National totals and averages	1185	46 <b>3.88</b>	46 <b>3.88</b>	52 <b>4.39</b>	21 <b>1.77</b>	4 <b>0.34</b>	469 <b>39.58</b>	174 <b>14.68</b>	201 <b>16.96</b>	191 <b>16.12</b>	38 <b>3.21</b>

Note: more than one choice was possible

[Return to Summary](#)



**BASHH National Audit Group**  
**2006 Audit of Sexual Health of People with HIV infection**  
**(Case notes Audit)**

Cervical cytology documented in past 12 months: grouped by Region.  
 Ordered by percentage cases having cervical cytology (denominator Total women minus Not applicable cases).  
 (Case notes audit: Q22)

Region	Total women (%)	Yes (%)	Yes - denominator Total women minus Not applicable cases (%)	No (%)	Not applicable (%)	Don't know (%)	Not answered (%)
Trent	92	82 <b>89.13</b>	82 <b>94.25</b>	4 <b>4.35</b>	5 <b>5.43</b>	1 <b>1.09</b>	0 <b>0.00</b>
North West	48	37 <b>77.08</b>	37 <b>92.50</b>	1 <b>2.08</b>	8 <b>16.67</b>	1 <b>2.08</b>	1 <b>2.08</b>
Wales	18	12 <b>66.67</b>	12 <b>85.71</b>	1 <b>5.56</b>	4 <b>22.22</b>	1 <b>5.56</b>	0 <b>0.00</b>
Northern	19	13 <b>68.42</b>	13 <b>76.47</b>	4 <b>21.05</b>	2 <b>10.53</b>	0 <b>0.00</b>	0 <b>0.00</b>
North Thames	290	209 <b>72.07</b>	209 <b>75.18</b>	64 <b>22.07</b>	12 <b>4.14</b>	2 <b>0.69</b>	3 <b>1.03</b>
Anglia	46	33 <b>71.74</b>	33 <b>75.00</b>	11 <b>23.91</b>	2 <b>4.35</b>	0 <b>0.00</b>	0 <b>0.00</b>
West Midlands	125	85 <b>68.00</b>	85 <b>74.56</b>	21 <b>16.80</b>	11 <b>8.80</b>	2 <b>1.60</b>	6 <b>4.80</b>
Scotland	25	17 <b>68.00</b>	17 <b>73.91</b>	6 <b>24.00</b>	2 <b>8.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Oxford	60	43 <b>71.67</b>	43 <b>72.88</b>	15 <b>25.00</b>	1 <b>1.67</b>	0 <b>0.00</b>	1 <b>1.67</b>
Yorkshire	74	49 <b>66.22</b>	49 <b>71.01</b>	19 <b>25.68</b>	5 <b>6.76</b>	0 <b>0.00</b>	1 <b>1.35</b>
South West	35	23 <b>65.71</b>	23 <b>69.70</b>	8 <b>22.86</b>	2 <b>5.71</b>	1 <b>2.86</b>	1 <b>2.86</b>
South Thames	216	138 <b>63.89</b>	138 <b>67.98</b>	51 <b>23.61</b>	13 <b>6.02</b>	14 <b>6.48</b>	0 <b>0.00</b>
Wessex	39	23 <b>58.97</b>	23 <b>67.65</b>	11 <b>28.21</b>	5 <b>12.82</b>	0 <b>0.00</b>	0 <b>0.00</b>
Northern Ireland	6	3 <b>50.00</b>	3 <b>50.00</b>	3 <b>50.00</b>	0 <b>0.00</b>	0 <b>0.00</b>	0 <b>0.00</b>
Merseyside	29	7 <b>24.14</b>	7 <b>46.67</b>	6 <b>20.69</b>	14 <b>48.28</b>	2 <b>6.90</b>	0 <b>0.00</b>
ID	63	26 <b>41.27</b>	26 <b>43.33</b>	30 <b>47.62</b>	3 <b>4.76</b>	2 <b>3.17</b>	2 <b>3.17</b>
National total and averages	1185	800 <b>67.51</b>	800 <b>72.99</b>	255 <b>21.52</b>	89 <b>7.51</b>	26 <b>2.19</b>	15 <b>1.27</b>

[Return to Summary](#)

**END**